




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	29MAY2015	DW	CW
	A1	ECR-17-008664	17JUN2017	CH	CW
	A2	ECR-18-011767	01AUG2018	JZ	CW






注釋：
1. 技術參數：
上殼材料：鋁合金
表面處理：灰色粉末噴塗
防護等級：IP65（配合）



TYPE I: LOW CONSTRUCTION, SIDE ENTRY
WITH STEEL DOUBLE LOCKING
类型 I: 低结构, 侧出, 带彩锌双扣

TI260162132-000	H16B-TGB-M32	H16B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 顶出M32, 彩锌双扣, 灰色粉末喷涂	-	M32	TYPE 2 类型2
TI260162125-000	H16B-TGB-M25	H16B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 顶出M25, 彩锌双扣, 灰色粉末喷涂	-	M25	
TI260162121-000	H16B-TGB-PG21	H16B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 顶出PG21, 彩锌双扣, 灰色粉末喷涂	-	PG21	
TI250162132-000	H16B-TSB-M32	H16B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出M32, 彩锌双扣, 灰色粉末喷涂	M32	-	TYPE 1 类型1
TI250162125-000	H16B-TSB-M25	H16B HOOD, SIDE ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出M25, 彩锌双扣, 灰色粉末喷涂	M25	-	
TI250162121-000	H16B-TSB-PG21	H16B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出PG21, 彩锌双扣, 灰色粉末喷涂	PG21	-	
TI250162120-000	H16B-TSB-M20	H16B HOOD, SIDE ENTRY M20, METAL DOUBLE LOCKING, POWDER COATED, GREY H16B上壳, 侧出M20, 彩锌双扣, 灰色粉末喷涂	M20	-	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M 螺纹孔1	PG/M THREAD 2 PG/M 螺纹孔2	TYPE 类型


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 01AUG2018 JEREMY.ZHANG CHK 01AUG2018 GINO.YAO APVD 01AUG2018 CHRIS.WANG		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H16B-TSB/TGB/TGBH/TSBH/TFBH-M/PG	
		0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		PRODUCT SPEC 108-137013	
MATERIAL - -		FINISH - -		APPLICATION SPEC 114-137013	
		WEIGHT -		SIZE A2	
		CAGE CODE 00779		DRAWING NO C-T12X01621XX000	
		RESTRICTED TO -		SCALE 1:1	
		SHEET 1 OF 3		REV A2	
		Customer Drawing			



SCALE 4:5

TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY
WITH STEEL DOUBLE LOCKING
类型3: 高结构, 侧出, 带彩锌双扣

T1280162140-000	H16B-TGBH-M40	H16B HOOD, TOP ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出M40,彩锌双扣,高结构,灰色粉末喷涂	-	M40	TYPE 4 类型4
T1280162132-000	H16B-TGBH-M32	H16B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出M32,彩锌双扣,高结构,灰色粉末喷涂	-	M32	
T1280162129-000	H16B-TGBH-PG29	H16B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出PG29,彩锌双扣,高结构,灰色粉末喷涂	-	PG29	
T1280162125-000	H16B-TGBH-M25	H16B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出M25,彩锌双扣,高结构,灰色粉末喷涂	-	M25	
T1280162121-000	H16B-TGBH-PG21	H16B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,顶出PG21,彩锌双扣,高结构,灰色粉末喷涂	-	PG21	
T1270162140-000	H16B-TSBH-M40	H16B HOOD, SIDE ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,侧出M40,彩锌双扣,高结构,灰色粉末喷涂	M40	-	TYPE 3 类型3
T1270162132-000	H16B-TSBH-M32	H16B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,侧出M32,彩锌双扣,高结构,灰色粉末喷涂	M32	-	
T1270162129-000	H16B-TSBH-PG29	H16B HOOD, SIDE ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,侧出PG29,彩锌双扣,高结构,灰色粉末喷涂	PG29	-	
T1270162125-000	H16B-TSBH-M25	H16B HOOD, SIDE ENTRY M25, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,侧出M25,彩锌双扣,高结构,灰色粉末喷涂	M25	-	
T1270162121-000	H16B-TSBH-PG21	H16B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H16B上壳,侧出PG21,彩锌双扣,高结构,灰色粉末喷涂	PG21	-	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M 螺纹孔1	PG/M THREAD 2 PG/M 螺纹孔2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 01AUG2018 JEREMY.ZHANG CHK 01AUG2018 GINO.YAO APVD 01AUG2018 CHRIS.WANG		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H16B-TSB/TGB/TGBH/TSBH/TFBH-M/PG	
		0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		PRODUCT SPEC 108-137013	
MATERIAL - -		FINISH - -		APPLICATION SPEC 114-137013	
		WEIGHT -		SIZE A2	CAGE CODE 00779
		Customer Drawing		DRAWING NO C-T12X01621XX000	
				SCALE 1:1	SHEET 2 OF 3
				REV A2	


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

D

NOTES:

SEE SHEET 1



B

TYPE 5: HIGH CONSTRUCTION, TOP & FRONT ENTRY
WITH STEEL DOUBLE LOCKING
OTHER SPEC REFER TO TYPE 4
类型5: 高结构, 顶出和前出, 带彩锌双扣, 其它规格参照类型4

B

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN 01AUG2018 JEREMY.ZHANG		 TE Connectivity		
DIMENSIONS: mm			CHK 01AUG2018 GINO.WANG				
			APVD 01AUG2018 CHRIS.WANG		NAME HI6B-TSB/TGB/TGBH/TSBH/TFBH-M/PG		
			TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH		PRODUCT SPEC 108-137013		
			MATERIAL - -		APPLICATION SPEC 114-137013		
			WEIGHT -		SIZE A2		
Customer Drawing			SCALE 1:1		CAGE CODE 00779		
					DRAWING NO C-T12X01621XX000		
					RESTRICTED TO -		
					SHEET 3 OF 3		
					REV A2		

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А