



# HIRSCHMANN

A Belden Brand

## Product information ELKA 4008 V

Industrial Connecting Solutions: Circular Connectors: M8 - M12 Connectors: M8 Connectors: M8 Connectors (E series M8): MiniQuick, fast connection, cable socket self-assembled: ELKA 4008 V

<https://e-catalog.hirschmann.com:443/link/57078-24228-256281-256292-256303-276518-24246-37213/en/conf/ui/state>

|                                     |                                                                                   |
|-------------------------------------|-----------------------------------------------------------------------------------|
| Name                                | ELKA 4008 V                                                                       |
|                                     |  |
|                                     | Straight cable socket, unassembled, strain relief by means of clamping cage       |
| <b>Delivery informations</b>        |                                                                                   |
| Availability                        | available                                                                         |
| <b>Product description</b>          |                                                                                   |
| Description                         | Straight cable socket, unassembled, strain relief by means of clamping cage       |
| Type                                | ELKA 4008 V                                                                       |
| Order No.                           | 933 367-100                                                                       |
| Type of contact                     | female                                                                            |
| Number of contacts                  | 4                                                                                 |
| Cable gland                         | M 9.5 x 1                                                                         |
| Standard                            | IEC 61076-2-101 (Ed. 1)/ IEC 60947-5-2                                            |
| Housing Color                       | black                                                                             |
| <b>Technical data</b>               |                                                                                   |
| Rated voltage                       | AC/DC 30 V                                                                        |
| Rated current                       | 3 A (2 A at 0.14 mm <sup>2</sup> )                                                |
| Type of termination                 | pin penetration                                                                   |
| Suitable cables                     | diameter 4 mm to 5 mm /<br>0.14 mm <sup>2</sup> to 0.34 mm <sup>2</sup>           |
| Core insulation of connecting leads | PVC, PETP,<br>diameter 1.0 mm to 1.55 mm                                          |
| <b>Material</b>                     |                                                                                   |
| Contact material                    | Cu Sn                                                                             |
| Contact surface material            | Au                                                                                |
| Contact bearer material             | PA                                                                                |
| Housing material                    | PA                                                                                |
| Coupling nut material               | Zn Al/Ni                                                                          |
| O-Ring                              | Viton / NBR                                                                       |
| <b>Environmental conditions</b>     |                                                                                   |
| Protection class (IEC 60529)        | IP 67                                                                             |
| Pollution severity                  | 3                                                                                 |
| Temperature range                   | -25 °C to +70 °C                                                                  |
| <b>Inflammability class</b>         |                                                                                   |
| Housing                             | 94 V-2                                                                            |
| Contact bearer                      | 94 V-2                                                                            |
| <b>Packing unit</b>                 |                                                                                   |
| Packaging unit                      | 100 pieces                                                                        |




# HIRSCHMANN

A Belden Brand

Industrial Connecting Solutions: Circular Connectors: M8 - M12 Connectors: M8 Connectors: M8 Connectors (E series M8): MiniQuick, fast connection, cable socket self-assembled: ELKA 4008 V  
<https://e-catalog.hirschmann.com:443/link/57078-24228-256281-256292-256303-276518-24246-37213/en/conf/ui/state>

Picture

Drawing



#### Belden Deutschland GmbH

Im Gewerbepark 2  
58579 Schalksmühle  
Germany  
Phone: +49 7127/14-1806  
E-Mail: [icos-sales@belden.com](mailto:icos-sales@belden.com)

The information published in the websites has been compiled as carefully as possible. It is subject to alteration without notice in technical as well as in price-related/commercial respect. The complete information and data were available on user documentation. Mandatory information can only be obtained by a concrete query.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,  
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А