



IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

THIS IS A CLASS 1 DOCUMENT WHICH IS NONCONFIDENTIAL.

The information contained within this document is the property of TE Connectivity. It is supplied in confidence and the commercial security of the contents must be maintained. It must not be used for any purpose other than that for which it is supplied nor may any information contained in it be disclosed to unauthorised persons. It must not be reproduced in whole or in part without obtaining written permission from TE Connectivity (TE).

While TE has made every reasonable effort to ensure the accuracy of the information in this catalog, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

*Trademark. TE Connectivity, TE connectivity (logo), and TE (logo) are trademarks. Other logos, product and/or company names may be trademarks of their respective owners.



Table of Contents

| | |
|--|----|
| Introduction | 3 |
| T200-Ident-Printer (Thermal Transfer)..... | 4 |
| Cable Identification markers | 4 |
| T200-Ident-Printer (Thermal Transfer)..... | 5 |
| Cable Identification Continuous Tube | 5 |
| T200-Ident-Printer (Thermal Transfer)..... | 6 |
| Labels | 6 |
| T208M-Printer and T212M-Printer (Thermal Transfer) | 7 |
| Cable Identification markers | 7 |
| Labels | 7 |
| T200-Label-Printer (Thermal Transfer) | 8 |
| Labels (Only)..... | 8 |
| TE3112-Printer (Recommended) and TE3124-Printer (Thermal Transfer) | 9 |
| Cable Identification markers | 9 |
| TE3112-Printer (Recommended) and TE3124-Printer (Thermal Transfer) | 10 |
| Cable Identification Continuous Tube | 10 |
| TE3112-Printer and TE3124-Printer (Thermal Transfer) | 11 |
| Labels | 11 |
| T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer) | 12 |
| Cable Identification markers | 12 |
| T312M-Printer and T312Mi-Printer (Thermal Transfer) | 13 |
| Labels | 13 |
| T6112DS-Printer (Thermal Transfer) | 14 |
| Cable Identification Markers and Continuous Tube | 14 |
| T6112DS-Printer (Thermal Transfer) | 15 |
| Cable Identification Markers and Continuous Tube | 15 |
| T612M-DS-Printer (Thermal Transfer) | 16 |
| TTD03E / TTD04E / TTD05E / TTD06E-Printer (Thermal Transfer) | 17 |
| Labels (only) | 17 |
| TTD03E / TTD04E / TTD05E / TTD06E-Printer (Thermal Transfer) | 18 |
| Labels (only) | 18 |
| TTP5200 / TTP5300 Printer (Thermal Transfer) | 19 |
| Labels (only) | 19 |
| TTP5200 / TTP5300 Printer (Thermal Transfer) | 20 |
| Labels (only) | 20 |
| T408M-Printer (Thermal Transfer) | 21 |
| T308S / T312S-Printer (Thermal Transfer)..... | 22 |
| Labels (only) | 22 |



| | |
|---|----|
| T2000CT-Printer (Thermal Transfer) | 23 |
| LQ870 (Dot Matrix) | 24 |
| LQ590 (Dot Matrix) | 24 |
| Lexmark 2390 (Dot Matrix) (Printer Discontinued) | 24 |
| AM6310 / AM6310D (Dot Matrix) (Printer Discontinued) | 25 |
| OKI-380 (Dot Matrix) | 25 |
| Epson GP-C831 (Inkjet) | 26 |
| Epson WF-R5190DW (Inkjet) | 26 |
| Epson B-310N (Inkjet) | 26 |
| Epson Stylus Photo R285 (Inkjet) | 26 |
| Epson Stylus Colour 1520 (Inkjet) | 26 |
| BTT-02 (card printer) | 27 |
| Ribbon ordering details | 28 |
| Cable Identification markers (25.4MM ID core) ordering details | 28 |
| Cable Identification markers (12.7MM ID core) ordering details | 28 |
| Labels (25.4MM ID core) ordering details | 29 |
| Labels (12.7MM ID core) ordering details | 29 |
| BTT-02 (card printer) | 30 |
| Dot Matrix Inks | 30 |
| Trademarks | 30 |
| Related Documents: | 30 |

Introduction

It is essential that the combination of Printers, Products and Ribbons or Inks are correct, to ensure the best print quality and mark permanence.

Each combination of Printer, Product, Ribbon and Ink have been evaluated for Print quality and tested for mark permanence. Any deviation from the information contained in this document will invalidate any assurances of print quality and mark permanence.

This document supersedes all previous documents detailing Identification printer, ribbon and product combinations.

When selecting a ribbon width, it is essential that the ribbon width covers the entire area of the label, to avoid missed print and damage to the print head.



T200-Ident-Printer (Thermal Transfer)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|------------------------|---|
| *CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HLXNEL | 1966-RIBBON |
| HS | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HS | 1966-RIBBON (For Superior performance) |
| HS | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT |
| HX-SCE | 1966-RIBBON |
| MultiMark | TMS-RJS-RIBBON-4RPSCE |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| RTSL | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | T300-UV-SCE-RIBBON |
| ZHD-SCE | 1966-RIBBON |
| ZTSL | 1966-RIBBON |

*When printing CM-SCE-TP, the smooth side of the marker must be used to print onto when using a Thermal Transfer printer. The T200-Ident-Printer is approved for the standard CM-SCE-TP thickness of 0.51mm only.



T200-Ident-Printer (Thermal Transfer)

Cable Identification Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|--|
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT Sizes 25.4 and above | 1966-RIBBON |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White) |
| WM-SCE | LBF-2000P-RIBBON-1966-MED |
| ZHD-CT Sizes 38.1 and above | 1966-RIBBON |
| ZHD-CT Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |



T200-Ident-Printer (Thermal Transfer)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 |
| HPK | 1330-0607-10 |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 KTT | For labels with liner width of 60mm or smaller: TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529 |
| Polyimide (T1K/T2K) | 1330-0619-10 |
| Nylon cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| SBP | TMS-RJS-RIBBON-4RPSCE |
| SP | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 T300-RIBBON-WH (White), see note 1 |
| WV | 1330-0607-10 |

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



T208M-Printer and T212M-Printer (Thermal Transfer)

(Printers Discontinued)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|------------------------|---|
| D-SCE | TMS-101-RIBBON-4DSCE |
| HLXNEL* | T200-RIBBON-1966 |
| HPK | 1330-0607-T200 |
| HT-SCE | TMS-101-RIBBON-4HT |
| HT-SCE (Black) | T200-RIBBON-WH-4HT |
| HX-SCE* | T200-RIBBON-1966 |
| NBC-SCE | TMS-101-RJS-RIBBON-4HT |
| RPS | TMS-101-RIBBON-4RPSCE |
| Shrinkmark | TMS-101-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE 2X | TMS-101-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-101-RIBBON-4AG (silver) T200-RIBBON-WH (White) |
| TMS-90-SCE* | T200-RIBBON-1966 |
| D-SCE | TMS-101-RIBBON-4DSCE |

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|---|
| Decals (TTP) | 1330-0607-T200 |
| Destructible Polyethylene (TN) | 1330-0607-T200 |
| EP Paper Labels | 1330-0600-T200 |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-T200 |
| Nylon Cloth (NC) | 1330-0607-T200 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-T200 |
| Self Lams (SBP) | TMS-101-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-101TT |
| Self Lams (SP) | 1330-0607-T200 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-101TT T200-RIBBON-WH (White), see note 1 |
| White Vinyl (WV) | 1330-0607-T200 |

* HX-SCE, HLXNEL & TMS-90-SCE for T212M only

Note: T208M-PRINTER has been superseded by T200-LABEL-PRINTER, for label products only.

Note: T212M-PRINTER has been superseded by the T200-IDENT-PRINTER, for both Label and cable Ident products.

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



T200-Label-Printer (Thermal Transfer)

(Printers Discontinued)

Labels (Only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------|---|
| Decals (TTP) | 1330-0607-T200 |
| Destructible Polyethylene (TN) | 1330-0607-T200 |
| EET (P-8A, P-9, P-4) | 1330-TTB-T200 |
| EET (PY-9) | 1330-TTB-T200 |
| EET (G-4) | 1330-TTB-T200 |
| EET (V-8A, V-4-W, SL...V-4-W) | 1330-TTB-T200 |
| EET (V-9) | 1330-TTB-T200 |
| EET (K-9) | 1330-TTB-T200 |
| HPK | 1330-0607-T200 |
| Polyimide (T1K/T2K) | 1330-0619-T200 |
| KTT | 1330-TTB-T200 |
| Nylon Cloth (NC) | 1330-0607-T200 |
| Paper (EP) | 1330-0600-T200 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-T200 |
| PPT | 1330-TTB-T200 |
| Self Lams (SBP) | TMS-101-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-101TT |
| Self Lams (SP) | 1330-0607-T200 |
| SOLAR LABELS | 1330-0607-T200 |
| Tedlar (TTVF/PVF) | 1330-3300-101TT T200-RIBBON-WH (White), see note 1 |
| White Vinyl (WV) | 1330-0607-T200 |

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



TE3112-Printer (Recommended) and TE3124-Printer

(Thermal Transfer)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|------------------------|--|
| CM-NMX (TE3112 only) | TTB-110SC/300AQ529 |
| *CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HL | 1966-RIBBON (For Superior performance) |
| HL | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HLX and HLXNEL | 1966-RIBBON |
| HLX | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| MultiMark | TMS-RJS-RIBBON-4RPSCE |
| HTCM-SCE-TP | TMS-RJS-RIBBON-4HT |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT |
| HS/HC | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HS/HC | 1966-RIBBON (For Superior performance) |
| HS/HC | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HX | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NCM-SCE-TP | 1966-RIBBON |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| RTSL | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | T300-UV-SCE-RIBBON |
| ZHD-SCE | 1966-RIBBON |
| ZTSL | 1966-RIBBON |

When printing CM-SCE-TP, CM-NMX, NCM-SCE-TP or HTCM-SCE-TP, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

*The TE3112 and the TE3124 Printers, are recommended for all CM-SCE-TP thickness variants.



TE3112-Printer (Recommended) and TE3124-Printer

(Thermal Transfer)

Cable Identification Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|--|
| D-SCE-SP | TMS-RJS-RIBBON-4DSCE |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT Sizes 25.4 and above | 1966-RIBBON |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White) |
| WM-SCE | LBF-2000P-RIBBON-1966-MED |
| ZHD-CT sizes 38.1 | 1966-RIBBON |
| ZHD-CT sizes 25.4 and bellow | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |



TE3112-Printer and TE3124-Printer (Thermal Transfer)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 |
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...G-4 EET...PY-9 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4, DF-9 KTT | For labels with liner width of 60mm or smaller : TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-114SC/360AQ529 |
| HPK | 1330-0607-10 |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| HPR105 | RIB-1976-076360-0L-9 (White) for labels 76mm or smaller RIB-1976-110300-0L-9 (White) for labels 110mm to 76mm |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KMT | TTB-110SC/300WH |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Self Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| SOLAR LABELS | 1330-0607-10 |
| TP Tape | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 T300-RIBBON-WH (White), see note 1 |
| White Vinyl (WV) | 1330-0607-10 |

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--------------------------|---|
| CM-NMX | TTB-110SC/300AQ529 |
| *CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| ¹ HL | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| ¹ HL | 1966-RIBBON (For Superior performance) |
| HLX | 1966-RIBBON |
| HS/HC | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| HS/HC | 1966-RIBBON (For Superior performance) |
| HTCM-SCE-TP | TMS-RJS-RIBBON-4HT |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT (white) |
| HX | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NCM-SCE-TP | 1966-RIBBON |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE-2X | TMS-RJS-RIBBON-4RPSCE (For Optimal performance) |
| * TMS-SCE and TMS-SCE 2X | *1966-RIBBON (For Superior performance) |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | T300-UV-SCE-RIBBON |
| ZHD-SCE | 1966-RIBBON |

¹Note: HL sizes HL253 and HL203 can be printed on TE3112 only

Note: T312M is superseded by the T312Mi

*Note: When printing with 1966-RIBBON. Select High energy and half speed check boxes. This feature is only available in WinTotal 5.4.03 or higher

When printing CM-SCE-TP, HTCM-SCE-TP, NCM-SCE-TP or CM-NMX, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer. *The TE312M-Printer and T312Mi-Printer are recommended for all CM-SCE-TP thickness variants.



T312M-Printer and T312Mi-Printer (Thermal Transfer)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| HPK | 1330-0607-10 |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| HPR105 | RIB-1976-076360-0L-9 (White) for labels 76mm or smaller RIB-1976-110300-0L-9 (White) for labels 110mm to 76mm |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Self Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 T300-RIBBON-WH (White), see note 1 |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



T6112DS-Printer (Thermal Transfer)

Cable Identification Markers and Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|---|
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| D-SCE-SP | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE-SP | 1966-RIBBON (For Superior performance) |
| D-SCE-SP | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less). |
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT, sizes 38.1 and above | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| RTSL | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (2X) | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White) |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White) |



T6112DS-Printer (Thermal Transfer)

Cable Identification Markers and Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|-----------------------------|--|
| ZTSL | 1966-RIBBON |
| ZHD-SCE | 1966-RIBBON |
| ZHD-CT sizes 38.1 | 1966-RIBBON |
| ZHD-CT sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |



T612M-DS-Printer (Thermal Transfer)

(Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|---|
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE-2X | TMS-RJS-RIBBON-4RPSCE |



TTD03E / TTD04E / TTD05E / TTD06E-Printer (Thermal Transfer)

(Printer Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...G-4 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 | For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/36-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529 When "Ink in" is required delete "S" (TTB-040SC/450AQ529) |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300 |



TTD03E / TTD04E / TTD05E / TTD06E-Printer (Thermal Transfer)

(Printer Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|--|
| PPT...DF-4 | For labels with liner width of 76mm or smaller: TTB-076SC/300WH |
| PPT...DF-9 | For labels with liner width of 84mm to 76mm: TTB-084SC/300WH |
| KMT | For labels with liner width of 110mm to 84mm: TTB-110SC/300WH |
| EP | For labels with liner width of 145mm to 110mm: TTB-145SC/300WH For labels with liner width of 170 to 145mm: TTB-170SC/300WH |



TTP5200 / TTP5300 Printer (Thermal Transfer)

(Printer Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 | For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360-AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529S When "Ink in" is required delete "S" (TTB-040SC/450AQ529) |
| EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL | For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300 |



TTP5200 / TTP5300 Printer (Thermal Transfer)

(Printer Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|--|
| PPT...DF-4 | For labels with liner width of 76mm or smaller: TTB-076SC/300WH |
| PPT...DF-9 | For labels with liner width of 84mm to 76mm: TTB-084SC/300WH |
| KMT | For labels with liner width of 110mm to 84mm: TTB-110SC/300WH |
| EP | For labels with liner width of 145mm to 110mm: TTB-145SC/300WH |
| | For labels with liner width of 170mm to 145mm: TTB-170SC/300WH |



T408M-Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Optimal performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HL | TMS-RJS-RIBBON-4RPSCE |
| HLX | 1966-RIBBON |
| HPK | 1330-0607-10 |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KTT | TTB-114SC/360-AQ529 |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (PVF) | 1330-3300-10 |
| Self-Lams (SP) | 1330-0607-10 |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| | 1330-3300-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | T300-RIBBON-WH (White), see note 1 |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| | T300-RIBBON-WH (White) or TMS-RJS-RIBBON-4AG (Silver) |
| TMS-SCE (Black) | |
| TMS-90-SCE | 1966-RIBBON |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



T308S / T312S-Printer (Thermal Transfer)

(Printer Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------------------------|--|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| HPK | 1330-0607-10 |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KTT | TTB-114SC/360-AQ529 |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Self-Lams (SBP) | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (PVF) | 1330-3300-10 |
| Self-Lams (SP) | 1330-0607-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Tedlar® polyvinyl fluoride (TTVF/PVF) | 1330-3300-10 T300-RIBBON-WH (White), see note 1 |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Note 1, when printing Tedlar labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-49 section 5.1.12



T2000CT-Printer (Thermal Transfer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|--|---------------------------|
| D-SCE-FLAT-SP Sizes 38.1 and above | 1966-RIBBON |
| D-SCE-FLAT-SP Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| HXCT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT Sizes 25.4 and above | 1966-RIBBON |



LQ870 (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|-------------------------|
| RPS | TMS-SYSTEM-SIX-RIBBON-A |
| D-SCE | TMS-SYSTEM-SIX-RIBBON-A |
| CM-SCE | TMS-SYSTEM-SIX-RIBBON-A |
| NCM-SCE | TMS-SYSTEM-SIX-RIBBON-A |
| Shrinkmark | TMS-SYSTEM-SIX-RIBBON-A |
| Raymark (RMK6) | TMS-SYSTEM-SIX-RIBBON-A |
| Tedlar (DMVF) | 1330-0037-00 |
| Polyimide (K) | 1330-0037-00 |
| Vinyl Cloth © | 1300-0037-00 |
| Polyesters (E/M) | 1330-0037-00 |

LQ590 (Dot Matrix)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|------------------|
| RPS | TMS-LQ590-RIBBON |
| D-SCE | TMS-LQ590-RIBBON |
| CM-SCE | TMS-LQ590-RIBBON |
| CM-SCE | LQ590-RIBBON |
| NCM-SCE | TMS-LQ590-RIBBON |
| Shrinkmark | TMS-LQ590-RIBBON |
| Raymark (RMK6) | TMS-LQ590-RIBBON |
| Raymark (RMK6) | LQ590-RIBBON |

Lexmark 2390 (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|-------------------------|
| RPS | TMS-SYSTEM-SIX-RIBBON-B |
| D-SCE | TMS-SYSTEM-SIX-RIBBON-B |
| CM-SCE | TMS-SYSTEM-SIX-RIBBON-B |
| NCM-SCE | TMS-SYSTEM-SIX-RIBBON-B |
| Shrinkmark | TMS-SYSTEM-SIX-RIBBON-B |
| Raymark (RMK6) | TMS-SYSTEM-SIX-RIBBON-B |

When printing CM-SCE or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.



AM6310 / AM6310D (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|---------------------------|
| RPS | 1892BK04-RIBBON |
| D-SCE | |
| CM-SCE | |
| Raymark (RMK6) | |
| HL | |
| HS/HC | |
| MultiMark (HM) | |
| Shrinkmark | |
| Polyesters (E/M) | 1892BK03-HIGH-PERF-RIBBON |
| Tedlar (DMVF) | |
| Polyimide (K) | |
| HX | |
| HX-SCE | |
| HLX | |

When printing CM-SCE or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

OKI-380 (Dot Matrix) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|------------------------|
| HL | 18910000-OKI380-RIBBON |
| HS | |
| HX | |
| MultiMark (HM) | |



Epson GP-C831 (Inkjet)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---------------------|------------------------------|
| Raymark 1 & 6 | DURA BRITE ULTRA (Epson ink) |

Epson WF-R5190DW (Inkjet)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---------------------|------------------------------|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

Epson B-310N (Inkjet) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---------------------|------------------------------|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

Epson Stylus Photo R285 (Inkjet) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---------------------|-------------------------------------|
| Raymark A4 sheets | Claria Photographic ink (Epson ink) |

Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---------------------|--|
| Raymark 1 | Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink |
| Raymark A4 Sheets | Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink |



BTT-02 (card printer) (Printer Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---------------------|------------------------|
| BGS | |
| BGF | BBB-060SC/200 (black). |
| BET | BBB-060WE/200 (white). |
| BTS | BBB-060BL/200 (blue). |
| BBK | BBB-060RT/200 (red). |
| BBL | |
| BBS | |



Ribbon ordering details

For full ribbon ordering details, shelf life conditions and dimensions please consult TE document **TTDS-257**.

Cable Identification markers (25.4MM ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|---|----------------|
| 1330-3300-10 | 980892-000 |
| 1966-RIBBON | F55931-000 |
| LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) | 6-1768383-4 |
| 2000P-RIBBON-4TT-MED | 893803-000 |
| 2000P-RIBBON-4TT-NAR | 277493-000 |
| TMS-RJS-RIBBON-4DSCE | 311292-000 |
| TMS-RJS-RIBBON-4RPSCE | 557721-000 |
| TMS-RJS-RIBBON-4HT | 754073-000 |
| T300-RIBBON-WH-4HT (White) | 154739-000 |
| T300-RIBBON-WH (White) | 650784-000 |
| 2000P-RIBBON-WH-MED (White) | 094514-000 |
| 2000P-RIBBON-WH-NAR (White) | 530304-000 |
| TMS-RJS-RIBBON-4AG (Silver) | 124503-000 |
| 2000P-RIBBON-4AG-MED | 351013-000 |
| 2000P-RIBBON-4AG-NAR | 346933-000 |
| 1330-0607-10 | 742412-000 |
| T300-UV-SCE-RIBBON | EC8932-000 |

Cable Identification markers (12.7MM ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|-----------------------------|----------------|
| TMS-101-RIBBON-4DSCE | 505478-000 |
| T200-RIBBON-1966 | D60849-000 |
| 1330-0607-T200 | E45478-000 |
| TMS-101-RIBBON-4HT | 746617-000 |
| T200-RIBBON-WH-4HT (White) | 086961-000 |
| TMS-101-RIBBON-4RPSCE | 310109-000 |
| TMS-101-RIBBON-4AG (Silver) | 252557-000 |



Labels (25.4MM ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|--|----------------|
| 1330-0607-10 | 742412-000 |
| TTB-060SC/300 | 2-1768049-6 |
| TTB-076SC/300 | 3-1768049-0 |
| TTB-084SC/300 | C75514-000 |
| TTB-110SC/300 | 3-1768049-6 |
| TTB-060SC/450AQ529 | 2-1768049-7 |
| TTB-090SC/360-AQ529 | 3-1768049-4 |
| TTB-110SC/300AQ529 | 3-1768049-7 |
| TTB-114SC/360-AQ529 | 4-1768049-0 |
| 1330-0619-10 | 952888-000 |
| TTB-110SC/300WH | 3-1768049-8 |
| 1330-0600-10 | 143060-000 |
| 1966-RIBBON | F55931-000 |
| TMS-RJS-RIBBON-4RPSCE | 557721-000 |
| RIB-1976-076360-0L-9 (White) | 1-2186321-1 |
| RIB-1976-110300-0L-9 (White) | 1-2186043-1 |
| 1330-3300-10 (For labels with liner width of 110mm or smaller) | 980892-000 |
| 1330-3300-15 (For labels with liner width of 110mm to 165mm) | 562492-000 |

Labels (12.7MM ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|-----------------------|----------------|
| 1330-0607-T200 | E45478-000 |
| 1330-0619-T200 | C49013-000 |
| TMS-101-RIBBON-4RPSCE | 310109-000 |
| 1330-3300-101TT | C95590-000 |
| 1330-TTB-T200 | 1-1768384-8 |
| 1330-0600-T200 | C36369-000 |



BTT-02 (card printer) ordering details

| DESCRIPTION | TE PART NUMBER |
|------------------------|----------------|
| BBB-060SC/200 (black). | 1-1768016-4 |
| BBB-060WE/200 (white). | 1-1768016-5 |
| BBB-060BL/200 (blue). | 1-1768016-1 |
| BBB-060RT/200 (red). | 1-1768016-3 |

Dot Matrix Inks ordering details

| DESCRIPTION | TE PART NUMBER |
|--------------------------------------|----------------|
| LQ590-RIBBON (Obsolete) | 1-2186029-1 |
| TMS-SYSTEM-SIX-RIBBON-A (Obsolete) | 310347-000 |
| TMS-SYSTEM-SIX-RIBBON-B (Obsolete) | 264327-000 |
| TMS-LQ590-RIBBON (Superseded) | CC3130-000 |
| 1892BK04-RIBBON (Obsolete) | D06106-000 |
| 1892BK03-HIGH-PERF-RIBBON (Obsolete) | A72722-000 |
| 18910000-OKI380-RIBBON (Obsolete) | 856832-000 |
| 1330-0037-00 (Obsolete) | 9-1198202-3 |

All Dot Matrix inks are now obsolete please see IPB-209 for further details

Trademarks

TMS, TE Connectivity (TE) logo and Tyco Electronics are trademarks of the Tyco Electronics group of companies and its licensors. Other products, logos, and Company names mentioned herein may be trademarks of their respective owners.

Tedlar is a trademarks of E I du Pont de Nemours & Company for polyimide films.

Related Documents:

404-121000 WinTotal Ribbon List
TTDS-257 Printing Ribbons and Inks

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «**JONHON**», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «**FORSTAR**».



JONHON

«**JONHON**» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«**FORSTAR**» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А