



Molex LED Array Holders simplify the installation process for small-fixture applications for OEMs using Sharp* Mega and Mini Zenigata arrays to reduce installation time with compression contacts that eliminate hand soldering

LED technology has been proven to reduce the amount of energy consumed and is becoming a more reliable, efficient and user-friendly way for accommodating general illumination requirements. Using unmatched interconnect technology, Molex provides a solderless solution to mounting LED arrays into OEM designs. The holders allow customers to install LED arrays quickly into fixtures, enable field replacements and facilitate upgrades to current applications.

Features and Benefits

Compression contacts deliver power to array	Stable connection in high-ambient temperature. Simplifies the LED installation process by eliminating hand soldering or expensive Surface Mount Technology (SMT) equipment. Reduces installation time
Double-ended wire-trap terminal to attach power source	Allows for wiring serial or parallel LED sequences, ensuring ease of array assembly
Screw-mount attachment method for securing array to heat sink	Provides voltage isolation between LED and heat sink with external mounting holes
Releasable wire trap for rework or replacement	Allows for field serviceability
High-temperature thermoplastic housing	Supports high heat-generating environments
Overall form factor is less than 50.00mm in diameter for Mega Zenigata (COB) arrays and 30.00 by 36.20mm for Mini Zenigata (COB) arrays	Ideal for lamp and small-fixture applications
Optional Zhaga cover for Mega Zenigata array only	Provides Zhaga compliant landing interface for optical

Specifications

Reference Information

Packaging: Tray
UL File No.: Pending
CSA File No.: Pending
Designed In: Millimeters
RoHS: Yes
REACH: Yes

Electrical

Voltage (max.): 300V DC
Current (max.):
Mega Zenigata – 2.5A continuous;
3.5A max.
Mini Zenigata – 3.0A continuous; 4.0

Contact Resistance:
20 milliohms max.
Dielectric Withstanding Voltage:
300V DC
Insulation Resistance:
5000 Megohms min.


Mechanical

Wire Insertion Force:
5N (1.12 lbf) max.
Wire Pull Out Force:
25N (5.62 lbf) max.
Durability (min.):
Mega Zenigata – 5 Cycles
Mini Zenigata – 20 Cycles


LED Array Holder for Sharp* Mega Zenigata (COB) and Sharp Mini Zenigata (COB) Arrays

180330 Mega Zenigata (COB) Array

180390 Mini Zenigata (COB) Array



LED Array Holder for Mega Zenigata (COB) Array



LED Array Holder for Mini Zenigata (COB) Array

Physical

Housing: PA66 Nylon GF
Contact:
Copper (Cu), Nickel (Ni) and Silver (Ag)
Plating:
Contact Area — Select Gold (Au)
Solder Tail Area — Silver (Ag)
Underplating — Nickel (Ni)

*Sharp is a registered trademark of Sharp Electronics Corporation

Applications

All general illumination applications

- Downlighting
- Track
- Pendants
- Linear

Area Lighting

- Roadways
- Parking Lots
- Wall Packs




**LED Array Holder
for Sharp* Mega
Zenigata (COB)
and Sharp Mini
Zenigata (COB)
Arrays**




Recessed down-lighting in residential and commercial buildings


LED Array Holder for Sharp Mega Zenigata



Sharp Mega
Zenigata Array




LED Array Holder for Sharp Mega Zenigata
(180330-0002)




LED Array Holder for Sharp Mega Zenigata
Array with Zhaga compliant cover
(180330-0003)

LED Array Holder for Sharp Mini Zenigata



Sharp Mini Zenigata Array



LED Array Holder for Sharp Mini Zenigata
(180390-0002)

Ordering Information

Order No. Sharp Mega	Component	Plating	Zhaga Cover
180330-0002	Mega Zenigata	Gold (Au)	No
180330-0003			Yes
180390-0002	Mini Zenigata		No

*Sharp is a registered trademark of Sharp Electronics Corporation

www.molex.com/link/sharp.html
www.molex.com/industry/solidstatelighting.html

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А