



## ICP Test Report Certification Packet

Company name: Littelfuse, Inc.

Product Series: In Line Holder

Product #: 150xxx series

Issue Date: July 4, 2012

It is hereby certified by Littelfuse, Inc. that there is neither RoHS (EU Directive 2002/95/EC, 2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes.

In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components.

Issued by:   
KRISTEEN BACILA

<Global EHS Engineer>

(16) Parts, sub-materials and unit parts

This document covers the In Line Holder RoHS-Compliant series products manufactured by Littelfuse, Inc.

< Raw Materials Used

Please see Table 1

(2) The ICP data on all measurable substances

Please see appropriate pages as identified in Table 1

Remarks :



**Table 1: List of Raw Materials covered by this report**

<b>Total Parts</b>	<b>Raw Material Part Number</b>	<b>Raw Material Description</b>	<b>Page(s)</b>
1	155004-1	Body-Housing (RoHS 4)	3-11
2	155004-4	Knob	12-20
3	155004-3	Knob Insert	21-25
4	912-065	Spring	26-30
5	904-216-001	Rivet	31-35
6	912-067	Spring	36-40
7	878-112	Wire-Plastic Insulated	41-47



**Test Report**

Number : TWNC00241009

Applicant: Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martinez #1800  
Col. Magisterio Seccion 38 C.P.  
26070 Piedra Negras, Coahuila,  
Mexico

Date : Jan 20, 2012

**Sample Description:**

One (1) group of submitted samples said to be :  
Part Description : BODY  
Part Number : 155004-1  
Date Sample Received : Jan 16, 2012  
Date Test Started : Jan 17, 2012

---

**Test Conducted :**

As requested by the applicant, for details please refer to attached pages.

---

Authorized By:  
On Behalf Of Intertek Testing Services  
Taiwan Limited



---

K. Y. Liang  
Director

This report shall not be reproduced  
except in full, without the written  
approval of the laboratory.



Number : TWNC00241009

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>
	<u>Black Plastic</u>
<b>Heavy Metal</b>	
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr <sup>6+</sup> ) content	ND
<b>Polybrominated Biphenyls (PBBs)</b>	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
<b>Polybrominated Diphenyl Ethers (PBDEs)</b>	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
<b>Halogen Content</b>	
Fluorine (F)	ND
Chlorine (Cl)	121
Bromine (Br)	ND
Iodine (I)	ND



Number : TWNC00241009

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>
	<u>Black Plastic</u>
<b>Phthalates</b>	
Di(2-ethylhexyl) Phthalate (DEHP)	ND
Dibutyl Phthalate (DBP)	ND
Benzyl Butyl Phthalate (BBP)	ND
<b>Others</b>	
Hexabromocyclododecane (HBCDD)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg  
ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Jan 16, 2012  
Test Period : Jan 17, 2012 To Jan 20, 2012

( II ) RoHS Requirement:

<u>Restricted Substances</u>	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr <sup>6+</sup> ) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

## Test Conducted

## ( III ) Test Method:


Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr <sup>6+</sup> ) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm
Phthalates	With reference to ASTM D3421-75, by solvent extraction and determined by GC-MSD or GC-FID	10 ppm
Hexabromocyclododecane (HBCDD)	With reference to USEPA 3540C, by solvent extraction and determined by GC-MSD	10 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample

Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents  
 Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

\*1: List of Appropriate Acid:


Material	Acid Added for Digestion
Polymers	HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub> , H <sub>3</sub> BO <sub>3</sub>
Metals	HNO <sub>3</sub> , HCl, HF
Electronics	HNO <sub>3</sub> , HCl, H <sub>2</sub> O <sub>2</sub> , HBF <sub>4</sub>

\*2: If the result of spot test is positive, Chromium VI would be determined as detected.

Test Conducted

(IV) Measurement Flowchart:

Test for Halogen Content  
Reference Standard : EN 14582






Test Conducted

(IV) Measurement Flowchart:


Test For Phthalates Contents  
Reference Method: EN 14372: 2004



Test Conducted

(IV) Measurement Flowchart:

Test For Hexabromocyclododecane (HBCDD)  
Reference Standard : USEPA 3540C



---

End of Report

Test Conducted

Photo





**Test Report**

Number : TWNC00241011

Applicant: Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martinez #1800  
Col. Magisterio Seccion 38 C.P.  
26070 Piedra Negras, Coahuila,  
Mexico

Date : Jan 30, 2012

**Sample Description:**

One (1) group of submitted samples said to be :  
Part Description : KNOB  
Part Number : 155004-4  
Date Sample Received : Jan 16, 2012  
Date Test Started : Jan 17, 2012

---

**Test Conducted :**

As requested by the applicant, for details please refer to attached pages.

---

Authorized By:  
On Behalf Of Intertek Testing Services  
Taiwan Limited



---

K. Y. Liang  
Director

This report shall not be reproduced  
except in full, without the written  
approval of the laboratory.



Number : TWNC00241011

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>
	<u>Black Plastic</u>
<b>Heavy Metal</b>	
Cadmium (Cd) content	ND
Lead (Pb) content	6
Mercury (Hg) content	ND
Chromium VI (Cr <sup>6+</sup> ) content	ND
<b>Polybrominated Biphenyls (PBBs)</b>	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
<b>Polybrominated Diphenyl Ethers (PBDEs)</b>	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND



Number : TWNC00241011

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>
	<u>Black Plastic</u>
<b>Halogen Content</b>	
Fluorine (F)	ND
Chlorine (Cl)	169
Bromine (Br)	ND
Iodine (I)	ND
<b>Phthalates</b>	
Di(2-ethylhexyl) Phthalate (DEHP)	ND
Dibutyl Phthalate (DBP)	ND
Benzyl Butyl Phthalate (BBP)	ND
<b>Others</b>	
Hexabromocyclododecane (HBCDD)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg  
ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Jan 16, 2012  
Test Period : Jan 17, 2012 To Jan 20, 2012

( II ) RoHS Requirement:

<u>Restricted Substances</u>	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr <sup>6+</sup> ) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

## Test Conducted

## ( III ) Test Method:


Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr <sup>6+</sup> ) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm
Phthalates	With reference to ASTM D3421-75, by solvent extraction and determined by GC-MSD or GC-FID	10 ppm
Hexabromocyclododecane (HBCDD)	With reference to USEPA 3540C, by solvent extraction and determined by GC-MSD	10 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample

Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents  
Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

\*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub> , H <sub>3</sub> BO <sub>3</sub>
Metals	HNO <sub>3</sub> , HCl, HF
Electronics	HNO <sub>3</sub> , HCl, H <sub>2</sub> O <sub>2</sub> , HBF <sub>4</sub>


\*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Test Conducted

(IV) Measurement Flowchart:


Test for Halogen Content  
Reference Standard : EN 14582



Test Conducted

(IV) Measurement Flowchart:


Test For Phthalates Contents  
Reference Method: EN 14372: 2004



Test Conducted

(IV) Measurement Flowchart:

Test For Hexabromocyclododecane (HBCDD)  
Reference Standard : USEPA 3540C



---

End of Report

Test Conducted

Photo





**Test Report**

Number : TWNC00241010

Applicant: Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martinez #1800  
Col. Magisterio Seccion 38 C.P.  
26070 Piedra Negras, Coahuila, Mexico

Date : Jan 20, 2012

**Sample Description:**

One (1) group of submitted samples said to be :

Part Description : INSERT  
Part Number : 155004-3  
Date Sample Received : Jan 16, 2012  
Date Test Started : Jan 17, 2012

**Test Conducted :**

As requested by the applicant, for details please refer to attached pages.

Authorized By:  
On Behalf Of Intertek Testing Services  
Taiwan Limited



K. Y. Liang  
Director

This report shall not be reproduced  
except in full, without the written  
approval of the laboratory.

**Intertek Testing Services Taiwan Ltd.**

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114, Taiwan, R.O.C.

全國公證檢驗股份有限公司

114 台北市內湖區瑞光路 423 號 8 樓

Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2400 · 6602-2401



Number : TWNC00241010

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>	
	<u>(1)</u>	<u>(2)</u>
<b>Heavy Metal</b>		
Cadmium (Cd) content	ND	ND
Lead (Pb) content	ND	861
Mercury (Hg) content	ND	ND
Chromium VI (Cr <sup>6+</sup> ) content (mg/kg with 50cm <sup>2</sup> )	Negative ( < 0.02 ) (#)	Negative ( < 0.02 ) (#)

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg  
 ND = Not detected  
 < = Less than  
 mg/kg with 50cm<sup>2</sup> = milligram per kilogram with 50 square centimetre  
 Negative = A negative test result indicated positive observation was not found at the time of Test.  
 # = Due to the insufficient sample area, reduced total sample surface of 10 cm<sup>2</sup> was used and the dilution factor was adjusted accordingly.

Tested Components

- (1) Silvery Metal Base Material
- (2) Silvery Plating Layer

Responsibility of Chemist : Irene Chiou / Kevin Liu

Date Sample Received : Jan 16, 2012  
 Test Period : Jan 17, 2012 To Jan 20, 2012

( II ) RoHS Requirement:

<u>Restricted Substances</u>	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr <sup>6+</sup> ) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Number : TWNC00241010

Test Conducted

( III ) Test Method:


<u>Test Item</u>	<u>Test Method</u>	<u>Reporting Limit</u>
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr <sup>6+</sup> ) content (mg/kg with 50cm <sup>2</sup> )	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer.	0.02 mg/kg with 50cm <sup>2</sup>

Remark: Reporting limit = Quantitation limit of analyte in sample

---

Test Conducted

(IV) Measurement Flowchart:  
 Test for Cd/Pb/Hg/Chromium (VI)  
 Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

\*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub> , H <sub>3</sub> BO <sub>3</sub>
Metals	HNO <sub>3</sub> , HCl, HF
Electronics	HNO <sub>3</sub> , HCl, H <sub>2</sub> O <sub>2</sub> , HBF <sub>4</sub>


\*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report



Test Conducted

Photo



**TEST REPORT**

**APPLICANT**

Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martínez 1800, Col. Magisterio Sección 38, Piedras Negras, Coahuila  
Ing. María Valdez

**SAMPLE DESCRIPTION**

One (1) group of submitted samples said to be :  
Sample Description NP  
Item No. 7) N/P 912-065 Spring  
Country of Origin NP  
Buyer's Name NP  
Supplier's Name NP  
Date sample received 2011-06-08  
Testing period 2011-06-09 to 2011-06-16

**TEST CONDUCTED**

As requested by the applicant, for details please refer to attached pages.

**CONCLUSION**

<u>Sample Number</u>	<u>Testing item</u>	<u>Conclusion</u>	<u>Failed component</u>	<u>Failed result</u>
7 (Base)	N/P 912-065 Spring	Pass See Result summary	---	---
7 (Plated)	N/P 912-065 Spring	Pass See Result summary	---	---

000002

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

*The results that appear in this report belong solely to (s) shows (s) analyzed (s).*

1ª. Emisión Junio 2005, 1ª Revisión Junio 26, 2009.

ILTA/003/GENS-F8

**Intertek Testing Services de México, S.A. de C.V.**

Poniente 134 No. 660, Col. Industrial Vallejo  
C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150

[www.intertek.com](http://www.intertek.com)



**TEST CONDUCTED**

Samples:

- 7) Base N/P 912-065 Spring
- 7) Plated N/P 912-065 Spring

**TEST RESULT SUMMARY FOR RoHS DIRECTIVE :**

TESTING ITEM	Ω RESULT (ppm)		Limit
	(7) Base	(7) Plated	
Cadmium (Cd) content	83,78	25,71	0,01% (100 ppm)
Lead (Pb) content	36,26	614,6	0,1% (1000 ppm)
Mercury (Hg) content	ND	ND	0,1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	ND	ND	0,1% (1000 ppm)

ppm = parts per million based on dry weight of sample.  
 µg/cm<sup>2</sup> = microgram per square centimeter.  
 mg/kg WITH 50cm<sup>2</sup> = milligram per kilogram with 50 square centimeter.  
 < = less than.

ND = Not detected.  
 The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

These Accreditations only apply for the methods listed in such. Not accredited under EMA Ω.

Prepared and checked by :

For Intertek

*Irma López M*  
*[Signature]*  
 Laboratory Manager

The Official Mexican Standard NOM-008-SCFI-1993 establishes like separator decimal the comma (,).

NOTE : DecaBDE IN POLYMERIC APPLICATIONS IS EXEMPTED ACCORDING TO ROHS DIRECTIVE AMENDMENT 2005/717/EC.

# =ACCORDING TO IEC 62321, A POSITIVE RESULT INDICATES THE PRESENCE OF Cr(VI) COATING. IT IS THE Cr(VI) CONCENTRATION DETECTED IN THE BOILING-WATER-EXTRACTION SOLUTION AND SHOULD NOT BE INTERPRETED AS THE Cr(VI) CONCENTRATION IN THE COATING LAYER OF THE SAMPLE.

REMARK : AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX11-1223-07 WERE TESTED SEPARATED.

000003

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

*The results that appear in this report belong solely to (s) shows (s) analyzed (s).*

1\*. Emisión Junio 2005, 1\* Revisión Junio 26, 2009.

ILTA/003/GENS-F8

**Intertek Testing Services de México, S.A. de C.V.**

Poniente 134 No. 660, Col. Industrial Vallejo  
 C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150

[www.intertek.com](http://www.intertek.com)

**Test method :**

<u>Sample Number</u>	<u>Testing item</u>	<u>Ω Testing method</u>	<u>Quality control Batch:</u>	<u>Analysis Date:</u>	<u>Analyzed By:</u>	<u>Reporting limit ppm</u>
7	Chromium VI (Cr <sup>6+</sup> ) content	With reference to USEPA 3060, by EPA 7196	QHU2010-45p23	2011-06-16	MELA	20,0

<u>Sample Number</u>	<u>Testing item</u>	<u>Ω Testing method</u>	<u>Quality control Batch:</u>	<u>Analysis Date:</u>	<u>Analyzed By:</u>	<u>Reporting limit ppm</u>
7 (Base)	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 7420	MET2011-12p11,12	2011-06-14	MARY	20,0
7 (Plated)	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-21p06	2011-06-13	MARY	62,5

<u>Sample Number</u>	<u>Testing item</u>	<u>Ω Testing method</u>	<u>Quality control Batch:</u>	<u>Analysis Date:</u>	<u>Analyzed By:</u>	<u>Reporting limit ppm</u>
7 (Base)	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2011-12p11	2011-06-13	MARY	2,0
7 (Plated)	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-21p06	2011-06-13	MARY	25,0

<u>Sample Number</u>	<u>Testing item</u>	<u>Ω Testing method</u>	<u>Quality control Batch:</u>	<u>Analysis Date:</u>	<u>Analyzed By:</u>	<u>Reporting limit ppm</u>
7 (Base)	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-12p06	2011-06-09	RNC	0,25
7 (Plated)	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-22p05	2011-06-10	RNC	2,5

000004

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

*The results that appear in this report belong solely to (s) shows (s) analyzed (s).*


1\*. Emisión Junio 2005, 1° Revisión Junio 26, 2009.

ILTA/003/GENS-F8

**Intertek Testing Services de México, S.A. de C.V.**

Poniente 134 No. 660, Col. Industrial Vallejo  
C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150

[www.intertek.com](http://www.intertek.com)





000005

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).  
The results that appear in this report belong solely to (s) shows (s) analyzed (s).

**Intertek Testing Services de México, S.A. de C.V.**  
Poniente 134 No. 660, Col. Industrial Vallejo  
C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150  
[www.intertek.com](http://www.intertek.com)





000006



Report No.: MX11-1223-06  
Date : 2011-06-28

**TEST REPORT**

**APPLICANT**

Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martínez 1800, Col. Magisterio Sección 38, Piedras Negras, Coahuila  
Ing. María Valdez

**SAMPLE DESCRIPTION**

One (1) group of submitted samples said to be :

Sample Description NP  
Item No. 6) N/P 904-216-001 Rivet  
Country of Origin NP  
Buyer's Name NP  
Supplier's Name NP  
Date sample received 2011-06-08  
Testing period 2011-06-09 to 2011-06-16

**TEST CONDUCTED**

As requested by the applicant, for details please refer to attached pages.

**CONCLUSION**

<u>Sample Number</u>	<u>Testing item</u>	<u>Conclusion</u>	<u>Failed component</u>	<u>Failed result</u>
6 (Base)	N/P 904-216-001 Rivet	Pass See Result summary	---	---
6 (Plated)	N/P 904-216-001 Rivet	Pass See Result summary	---	---

000002

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).  
*The results that appear in this report belong solely to (s) shows (s) analyzed (s).*

1ª. Emisión Junio 2005, 1ª Revisión Junio 26, 2009.

ILTA/003/GENS-F8

**Intertek Testing Services de México, S.A. de C.V.**  
Poniente 134 No. 660, Col. Industrial Vallejo  
C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912160  
[www.intertek.com](http://www.intertek.com)



**TEST CONDUCTED**

Samples:

6) Base N/P 904-216-001 Rivet

6) Plated N/P 904-216-001 Rivet

**TEST RESULT SUMMARY FOR RoHS DIRECTIVE :**

TESTING ITEM	$\Omega$ RESULT (ppm)		Limit
	(6) Base	(6) Plated	
Cadmium (Cd) content	ND	ND	0,01% (100 ppm)
Lead (Pb) content	31,33	ND	0,1% (1000 ppm)
Mercury (Hg) content	ND	ND	0,1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	ND	ND	0,1% (1000 ppm)

ppm = parts per million based on dry weight of sample.

 $\mu\text{g}/\text{cm}^2$  = microgram per square centimeter.mg/kg WITH 50cm<sup>2</sup> = milligram per kilogram with 50 square centimeter.

&lt; = less than.

ND = Not detected.

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

These Accreditations only apply for the methods listed in such. Not accredited under EMA  $\Omega$ .

Prepared and checked by :

For Intertek

*Irma López*  
*[Signature]*  
 Laboratory Manager *coord. de área*

The Official Mexican Standard NOM-008-SCFI-1993 establishes like separator decimal the comma (,).

NOTE : DecaBDE IN POLYMERIC APPLICATIONS IS EXEMPTED ACCORDING TO ROHS DIRECTIVE AMENDMENT 2005/717/EC.

# =ACCORDING TO IEC 62321, A POSITIVE RESULT INDICATES THE PRESENCE OF Cr(VI) COATING. IT IS THE Cr(VI) CONCENTRATION DETECTED IN THE BOILING-WATER-EXTRACTION SOLUTION AND SHOULD NOT BE INTERPRETED AS THE Cr(VI) CONCENTRATION IN THE COATING LAYER OF THE SAMPLE.

REMARK : AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX11-1223-06 WERE TESTED SEPARATED.

000003

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).  
*The results that appear in this report belong solely to (s) shows (s) analyzed (s).*

1ª. Emisión Junio 2005, 1ª Revisión Junio 26, 2009.

ILTA/003/GENS-F8

**Intertek Testing Services de México, S.A. de C.V.**

Poniente 134 No. 660, Col. Industrial Vallejo  
 C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150

[www.intertek.com](http://www.intertek.com)



**Test method :**

Sample Number	Testing item	Ω Testing method	Quality control Batch:	Analysis Date:	Analyzed By:	Reporting limit ppm
6	Chromium VI (Cr <sup>6+</sup> ) content	With reference to USEPA 3060, by EPA 7196	QHU2010-45p23	2011-06-16	MELA	20,0

Sample Number	Testing item	Ω Testing method	Quality control Batch:	Analysis Date:	Analyzed By:	Reporting limit ppm
6 (Base)	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2011-12p11	2011-06-13	MARY	5,0
6 (Plated)	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-21p06	2011-06-13	MARY	250,0

Sample Number	Testing item	Ω Testing method	Quality control Batch:	Analysis Date:	Analyzed By:	Reporting limit ppm
6 (Base)	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2011-12p11	2011-06-13	MARY	2,0
6 (Plated)	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-21p06	2011-06-13	MARY	100,0

Sample Number	Testing item	Ω Testing method	Quality control Batch:	Analysis Date:	Analyzed By:	Reporting limit ppm
6 (Base)	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2011-12p06	2011-06-10	RNC	0,25
6 (Plated)	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-22p05	2011-06-10	RNC	2,5

000004

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).  
 The results that appear in this report belong solely to (s) shows (s) analyzed (s).

1ª. Emisión Junio 2005, 1ª Revisión Junio 26, 2009.

ILTA/003/GENS-F8

**Intertek Testing Services de México, S.A. de C.V.**


 Poniente 134 No. 660, Col. Industrial Vallejo  
 C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150

[www.intertek.com](http://www.intertek.com)




Report No.: MX11-1223-06  
Date: 2011-06-28

Metallic samples  
Flow chart for sample: 6




000005

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).  
The results that appear in this report belong solely to (s) shows (s) analyzed (s).

**Intertek Testing Services de México, S.A. de C.V.**  
Poniente 134 No. 660, Col. Industrial Vallejo  
C.P. 02300, Del. Azcapotzalco, México, D.F. Tel.: 50912150  
[www.intertek.com](http://www.intertek.com)





000006





**Test Report**

Number : TWNC00241008

Applicant: Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martinez #1800  
Col. Magisterio Seccion 38 C.P.  
26070 Piedra Negras, Coahuila, Mexico

Date : Jan 20, 2012

**Sample Description:**

One (1) group of submitted samples said to be :

Part Description : SPRING  
Part Number : 912-067  
Date Sample Received : Jan 16, 2012  
Date Test Started : Jan 17, 2012

**Test Conducted :**

As requested by the applicant, for details please refer to attached pages.

Authorized By:  
On Behalf Of Intertek Testing Services  
Taiwan Limited



K. Y. Liang  
Director

This report shall not be reproduced  
except in full, without the written  
approval of the laboratory.



Number : TWNC00241008

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>	
	<u>(1)</u>	<u>(2)</u>
<b>Heavy Metal</b>		
Cadmium (Cd) content	ND	ND
Lead (Pb) content	ND	394
Mercury (Hg) content	ND	ND
Chromium VI (Cr <sup>6+</sup> ) content (mg/kg with 50cm <sup>2</sup> )	Negative ( < 0.02 )	Negative ( < 0.02 )

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg  
 ND = Not detected  
 < = Less than  
 mg/kg with 50cm<sup>2</sup> = milligram per kilogram with 50 square centimetre  
 Negative = A negative test result indicated positive observation was not found at the time of Test.

Tested Components

- (1) Silvery Metal Base Material
- (2) Silvery Plating Layer

Responsibility of Chemist : Irene Chiou / Kevin Liu

Date Sample Received : Jan 16, 2012  
 Test Period : Jan 17, 2012 To Jan 20, 2012

( II ) RoHS Requirement:

<u>Restricted Substances</u>	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr <sup>6+</sup> ) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Number : TWNC00241008

Test Conducted

( III ) Test Method:


<u>Test Item</u>	<u>Test Method</u>	<u>Reporting Limit</u>
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr <sup>6+</sup> ) content (mg/kg with 50cm <sup>2</sup> )	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer.	0.02 mg/kg with 50cm <sup>2</sup>

Remark: Reporting limit = Quantitation limit of analyte in sample

---

Test Conducted

(IV) Measurement Flowchart:  
 Test for Cd/Pb/Hg/Chromium (VI)  
 Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

\*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub> , H <sub>3</sub> BO <sub>3</sub>
Metals	HNO <sub>3</sub> , HCl, HF
Electronics	HNO <sub>3</sub> , HCl, H <sub>2</sub> O <sub>2</sub> , HBF <sub>4</sub>

\*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

Test Conducted

Photo







**Test Report**

Number : TWNC00224370

Applicant: Littelfuse, S.A. de C.V.  
Blvd. Fausto Z. Martinez #1800  
Col. Magisterio Seccion 38 C.P.  
26070 Piedra Negras, Coahuila,  
Mexico

Date : Sep 23, 2011

**Sample Description:**

One (1) group of submitted samples said to be :

Part Description : Lead wire  
Part Number : 878-112  
Date Sample Received : Sep 16, 2011  
Date Test Started : Sep 19, 2011

**Test Conducted :**

As requested by the applicant, for details please refer to attached pages.

Authorized By:  
On Behalf Of Intertek Testing Services  
Taiwan Limited



K. Y. Liang  
Director

This report shall not be reproduced  
except in full, without the written  
approval of the laboratory.



Number : TWNC00224370

Test Conducted

( I ) Test Result Summary :

Test Item	Result (ppm)	
	(A)	(B)
<b>Heavy Metal</b>		
Cadmium (Cd) content	ND	ND
Lead (Pb) content	ND	ND
Mercury (Hg) content	ND	ND
Chromium VI (Cr <sup>6+</sup> ) content (for non-metal material)	ND	--
Chromium VI (Cr <sup>6+</sup> ) content (by boiling water extraction on metal)(mg/kg with 50cm <sup>2</sup> )	--	Negative (< 0.02)
<b>Polybrominated Biphenyls (PBBs)</b>		
Monobrominated Biphenyls (MonoBB)	ND	--
Dibrominated Biphenyls (DiBB)	ND	--
Tribrominated Biphenyls (TriBB)	ND	--
Tetrabrominated Biphenyls (TetraBB)	ND	--
Pentabrominated Biphenyls (PentaBB)	ND	--
Hexabrominated Biphenyls (HexaBB)	ND	--
Heptabrominated Biphenyls (HeptaBB)	ND	--
Octabrominated Biphenyls (OctaBB)	ND	--
Nonabrominated Biphenyls (NonaBB)	ND	--
Decabrominated Biphenyl (DecaBB)	ND	--
<b>Polybrominated Diphenyl Ethers (PBDEs)</b>		
Monobrominated Diphenyl Ethers (MonoBDE)	ND	--
Dibrominated Diphenyl Ethers (DiBDE)	ND	--
Tribrominated Diphenyl Ethers (TriBDE)	ND	--
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND	--
Pentabrominated Diphenyl Ethers (PentaBDE)	ND	--
Hexabrominated Diphenyl Ethers (HexaBDE)	ND	--
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND	--
Octabrominated Diphenyl Ethers (OctaBDE)	ND	--
Nonabrominated Diphenyl Ethers (NonaBDE)	ND	--
Decabrominated Diphenyl Ether (DecaBDE)	ND	--



Number : TWNC00224370

Test Conducted

( I ) Test Result Summary :

<u>Test Item</u>	<u>Result (ppm)</u>	
	<u>(A)</u>	<u>(B)</u>
<b>Halogen Content</b>		
Fluorine (F)	ND	--
Chlorine (Cl)	285219	--
Bromine (Br)	ND	--
Iodine (I)	ND	--

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg  
 ND = Not detected  
 < = Less than  
 mg/kg with 50cm<sup>2</sup> = milligram per kilogram with 50 square centimetre  
 Negative = A negative test result indicated positive observation was not found at the time of Test.

Tested Components

- (1) Red Cable Jacket
- (2) Coppery Metal Wire

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Sep 16, 2011

Test Period : Sep 19, 2011 To Sep 23, 2011

( II ) RoHS Requirement:

<u>Restricted Substances</u>	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr <sup>6+</sup> ) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

---



Number : TWNC00224370

Test Conducted  
( III ) Test Method:


<u>Test Item</u>	<u>Test Method</u>	<u>Reporting Limit</u>
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr <sup>6+</sup> ) content (for non-metal material)	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm
Chromium VI (Cr <sup>6+</sup> ) content (by boiling water extraction on metal)(mg/kg with 50cm <sup>2</sup> )	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis spectrophotometer.	0.02 mg/kg with 50cm <sup>2</sup>
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by ion chromatography	50 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample

Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents  
 Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

\*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub> , H <sub>3</sub> BO <sub>3</sub>
Metals	HNO <sub>3</sub> , HCl, HF
Electronics	HNO <sub>3</sub> , HCl, H <sub>2</sub> O <sub>2</sub> , HBF <sub>4</sub>


\*2: If the result of spot test is positive, Chromium VI would be determined as detected.

Test Conducted

(IV) Measurement Flowchart:

Test for Halogen Content

Reference Standard : EN 14582





---

End of Report

Test Conducted

Photo



Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



## JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: [ocean@oceanchips.ru](mailto:ocean@oceanchips.ru)

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А