

The Woodhead Express program provides a short list of industry standard products that can also be found in our Woodhead Electrical catalog. Woodhead Express parts average an actual leadtime of 2 days or less.

ELECTRIC REELS

Product Type	Wire Gauge / Conductor	Cord Type	Primary Cord Length (inches)	Secondary Cord End	Secondary Cord Length (feet)	Current Rating (A)	Retraction Weight (lb)	Woodhead No.	Order No.	
Cord reel	16 AWG / 3	SJTOW	18.0	Flying Leads	35.0	6.0	3	945-3	130090-0009	
	14 AWG / 3				45.0	11.0		990WC	130090-0117	
	16 AWG / 3				50.0	8.0		980	130091-0013	
				980-3000				130091-0023		
				990				130091-0045		
	14 AWG / 3			45.0	11.0	990-3000		130091-0057		
						997		130091-0085		
						997-3000		130091-0090		
	12 AWG / 3			35.0	15.0	997-3070G		130091-0094		
		SOOW	N/A			Flying Leads	50.0	18.0	4	435D
Cable reel		12 AWG / 3	SOOW			N/A	Flying Leads	50.0	18.0	4
	10 AWG / 3	40.0		22.0	92434			130083-0233		
	14 AWG / 3	50.0		14.0	9358			130083-0249		
	12 AWG / 3	25.0		18.0	9383		130083-0264			
					Super-Safeway™ NEMA 5-20 connector		9383-1533	130083-0265		
					Rubber pendent box with (2) NEMA 5-20 duplex receptacle		9383-3080	130083-0271		
		Flying Leads			35.0		9385	130083-0279		
		Rubber pendent box with (2) NEMA 5-20 duplex receptacle			50.0		92433-3080	130083-0787		
	10 AWG / 3	Flying leads		20.0	22.0		9242	130084-0318		
	10 AWG / 4	Flying Leads	50.0	20	92544AN	130084-0141				
Static discharge	3/32"	Galvanized steel cable	N/A	100.0A ground clamp	25.0	N/A	N/A	143025	130177-0003	
					50.0			143050	130177-0005	
Hand wind	Cable not supplied	Cable not supplied	N/A	#16/3 - 200.0' #14/3 - 125.0' #12/3 - 100.0' (SOOW)			N/A	HW100	130087-0071	
				Same as HW100	Same as HW100	N/A		930	130087-0057	
Ground Fault Reel	Cable not supplied	N/A	N/A	N/A	N/A	N/A	N/A	GR1000L	130084-0077	
								GR900	130083-0154	

HOSE REELS

Product Type	Inlet Hose Fitting <i>(NPT)</i>	Hose Inner Diameter	Length <i>(feet/m)</i>	Pressure <i>(psi)</i>	Old Order No.	Order No.
VPR hose reel	3/8"	3/8"	30 / 9.1	300.0	DA330	130161-0007
Premium hose reel	1/2"	1/2"	50 / 15.24		DB350	130161-0009
					PBL450	130158-0038

TOOL SUPPORT

Product Type	Construction	Weight Range (lb/kg)	Travel (feet)	Woodhead No.	Order No.		
Positioner	Retractor	1.0 - 10.0 / 0.5 - 4.5	4.7	GM31	130169-0002		
		Plastic Housings	0.0 - 2.0 / 0.0 - 0.9	6.6	RB2	130173-0036	
			1.0 - 2.0 / 0.5 - 0.9	10.0	RB210	130173-0037	
			2.0 - 4.0 / 0.9 - 1.8	6.6	RB4	130173-0048	
					RB4SC	130173-0050	
			4.0 - 6.0 / 1.8 - 2.7		RF6	130173-0055	
			6.0 - 8.0 / 2.7 - 3.6		RF8	130173-0061	
			4.0 - 6.0 / 1.8 - 2.7		RFL6	130173-0069	
			6.0 - 8.0 / 2.7 - 3.6		RFL8	130173-0074	
			Sheet Metal Housings		8.0	1.0 - 5.0 / 0.4 - 2.3	5F
		4.0 - 10.0 / 1.8 - 4.5				5FLR	130175-0016
				10F		130175-0001	
		10FLR		130175-0003			
		8.0 - 15.0 / 3.6 - 6.8		15F		130175-0006	
		Casted Aluminum Housings	15FLR	130175-0008			
			4.0 - 10.0 / 1.8 - 4.5	10FLRC		130174-0001	
			8.0 - 15.0 / 3.6 - 6.8	15FLRC		130174-0005	
16.0 - 22.0 / 7.3 - 10.0	22FLRC		130174-0009				
Balancer	Plastic Housings	4.9	4.0 - 8.0 / 1.8 - 3.6	AB8	130237-0002		
			8.0 - 11.0 / 3.6 - 5.0	AB8RL	130237-0005		
				AB11	130237-0003		
				AB11RL	130237-0006		
		6.6	9.0 - 13.0 / 4.1 - 5.9	BF13	130170-0015		
			13.0 - 18.0 / 5.9 - 8.2	BF17	130170-0017		
			3.0 - 6.0 / 1.4 - 2.7	BF6	130170-0021		
			6.0 - 9.0 / 2.7 - 4.1	BF9	130170-0023		
			13.0 - 18.0 / 5.9 - 8.2	BFL18	130170-0027		
			18.0 - 24.0 / 8.2 - 10.9	BFL24	130170-0030		
	6.0 - 9.0 / 2.7 - 4.1		BFL9	130170-0033			
	Casted Aluminum Housings		18.0 - 25.0 / 8.2 - 11.4	25EB	130171-0300		
			25.0 - 35.0 / 11.4 - 15.9	35EB	130171-0302		
			35EBR	130171-0303			
		35.0 - 45.0 / 15.9 - 20.5	45EB	130171-0305			
		45EBR	130171-0306				
		45.0 - 60.0 / 20.5 - 27.3	4.9	65EBS	130171-0309		
		84.0 - 115.0 - 38.0 - 52.0	7.0	110KA	130172-0026		
	29.0 - 40.0 / 13.0 - 18.0	6.0	40EA	130172-0184			
	40.0 - 55.0 / 53.0 - 70.0	7.0	50JA	130172-0199			
	53.0 - 70.0 / 24.0 - 32.0		70JA	130172-0221			
68.0 - 86.0 / 31.0 - 39.0	80JA		130172-0241				
	Sheet Metal Housings	N/A	50.0	2050	130177-0009		
Torque reel		0.0-15.0	15.0	1515T	130176-0004		
		15.0 / 6.8		1515TR	130176-0009		
Replacement Part	N/A	N/A	N/A	31184-80	130179-0603		
	Assy Drum and Pin For 7' Cable For J/K Balancers			31091-1	130179-0610		
Hose/cable hanger	Light duty composite	12.50 to 23.00mm (0.49 to 0.91")	N/A	61020	130179-0962		



SAFEWAY® PLUGS AND CONNECTORS

Connector/Plug/Adapter	Configuration	Poles/Wires	Voltage	Description	Woodhead No.	Order No.
Connector	NEMA 5-20	2-pole, 3-wire	125V	High impact	5269	130144-0044
Plug	NEMA 5-15		125V		5266	130144-0036
Adapter	NEMA L5-15		125V	Non-NEMA15A-125V Plug to NEMA 5-15R	1704	130151-0013
	NEMA L5-20			L5-15P to 5-15R	1705	130151-0014
	NEMA 5-20			5-15P to L5-15R	1712	130151-0017
	NEMA 5-15			Red Husk 20A125/250V Plug to NEMA 5-20R	1730	130151-0020
	NEMA L5-15			L5-20P to 5-20R	1740	130151-0023
	NEMA L5-20			Red Husk 5-15P to L5-20R	1744	130151-0025

SUPER-SAFEWAY™ PLUGS AND CONNECTORS

Connector/Plug/Cordset	Poles/Wires	Configuration	Voltage	Current	Woodhead No.	Order No.	
Connector	2-pole, 3-wire	NEMA 5-20	125V	20.0A	1533	130141-0025	
		NEMA 5-15		15.0A	1547	130141-0031	
		NEMA L5-15			2547	130141-0056	
	3-pole, 3-wire	Non-NEMA locking		20.0A	2507	130141-0053	
	2-pole, 3-wire	NEMA L5-20	250V		2747	130142-0021	
	3-pole, 3-wire	Non-NEMA			2908	130145-0066	
Plug	2-pole, 3-wire	NEMA 5-20	125V	20.0A	1433	130141-0010	
		NEMA 5-15		15.0A	1447	130141-0015	
	3-pole, 3-wire	Non-NEMA locking			2407	130141-0044	
	2-pole, 3-wire	NEMA L5-15			2447	130141-0047	
		NEMA L5-20		20.0A	2647	130141-0062	
	3-pole, 3-wire	Non-NEMA	250V	30.0A	2808	130142-0031	
Cordset, 50 feet 14/3 SOOW Cable	2-pole, 3-wire	NEMA 5-15	125V	15.0A	1447B143	130143-0102	

FESTOON

Type	Description	Length	Travel Speed - Maximum	Wire/Cable Type	Woodhead No.	Order No.
Box Track	5400 Track 12 ft Section 12GA	0.30M (11.81")	53.34 MPM (175 FPM)	N/A	540012	130118-0007

WATERTITE® CONNECTORS AND PLUGS

Description	Poles/Wires	Configuration	Voltage	Woodhead No.	Order No.	
Plug	2-pole, 3-wire	NEMA L6-30	250V	28W48	130147-0074	
		NEMA L5-15	125V	24W47	130146-0082	
		NEMA L5-20		26W47	130147-0018	
		NEMA L7-15	277V	24W34	130146-0079	
		NEMA 5-15	125V	14W47	130146-0031	
		NEMA 5-20		14W33	130146-0022	
NEMA 5-15		14W47BLK		130146-0032		
Plug (black)						
Plug			NEMA 6-15	250V	14W49	130146-0044
			NEMA 5-15	125V	59W47	130146-0116
			NEMA L6-20	250V	26W48	130147-0021
			NEMA L5-30	125V	28W47	130147-0072
		3-pole, 3-wire,15.0A	Non-NEMA		14W07	130146-0015
			Non-NEMA		24W07	130146-0078
	3-pole, 4-wire		NEMA L14-20	250V	26W74	13014-70025
		NEMA L15-20		26W75	130147-0027	
		NEMA L16-20	480V	26W76	130147-0029	
		NEMA L14-30	250V	28W74	130147-0077	
		NEMA L15-30		28W75	130147-0079	
		NEMA L16-30	480V	28W76	130147-0081	
	4-pole, 4-wire	Non-NEMA	208V	26W09	130147-0015	
	4-pole, 5-wire	NEMA L21-20		26W81	130147-0031	
	4-pole, 5-wire	NEMA L21-30		28W81	130147-0085	
	Connector (black)		NEMA 5-15	125V	15W47BLK	130146-0061
	Connector	2-pole, 3 wire	NEMA 5-20	125V	15W33	130146-0052
			NEMA 5-15		15W47	130146-0060
NEMA L7-15			277V	25W34	130146-0095	
NEMA L5-15			125V	25W47	130146-0099	
NEMA L5-20				27W47	130147-0044	
NEMA L6-20			250V	27W48	130147-0048	
NEMA L5-30			125V	29W47	130147-0093	
NEMA L6-30			250V	29W48	130147-0096	
Non-NEMA			125V	15W07	130146-0050	
Non-NEMA			250V	25W07	130146-0092	
Non-NEMA				27W08	130147-0035	
Non-NEMA				27W74	130147-0053	
3-pole, 4-wire		NEMA L14-20	250V	27W75	130147-0056	
		NEMA L15-20				
		NEMA L16-20		480V	27W76	130147-0059
		NEMA L14-30	250V	29W74	130147-0102	
		NEMA L15-30		29W75	130147-0105	
		NEMA L16-30	480V	29W76	130147-0108	
		NEMA L17-30	600V	29W77	130147-0111	
4-pole, 4-wire		Non-NEMA	208V	27W09	130147-0038	
4-pole, 5-wire	NEMA L22-30	480V	29W82	130147-0118		
Duplex flip lid with female 5-15 receptacle	2-pole, 3-wire	NEMA 5-15	125V	60W47DPLX	130146-0131	
Duplex flip lid with female 5-20 receptacle		NEMA 5-20		60W33DPLX	130146-0125	
Receptacle with single flip coverplate		NEMA 5-20		60W33	130146-0123	
		NEMA 5-15		60W47	130146-0129	
Receptacle with single flip coverplate with locking blade		NEMA 5-15			65W47	130146-0149

PORTABLE OUTLET BOXES

Configuration	Description	Woodhead No.	Order No.
Multiple outlet box, shell only	Standard depth two duplex outlet box with coverplate only	3000	130137-0087
Multiple outlet box, shell only	Standard depth outlet box with MAX-LOC® cordgrip (F2)	3059	130137-0149
Multiple outlet box, shell only	Standard depth outlet box with MAX-LOC® cordgrip (F3)	3099	130137-0216
NEMA 5-15R	Standard depth outlet box with(2) duplex	3000-1	130137-0088
Multiple outlet box, shell only	Standard depth outlet box with clamping cordgrip	3050	130137-0147
NEMA 5-20	Deep box with (2) NEMA 5-20 duplex	3085-10	130137-0192
Duplex cover plate with flip lids for portable outlet box	Duplex cover plate with flip lids for portable outlet box	3056	130138-0025
Duplex cover plate for portable outlet box	Duplex cover plate for portable outlet box	3051	130138-0020
Blank cover plate for portable outlet box	Blank cover plate for portable outlet box	3054	130138-0023
3 NEMA 5-15 outlets	Multi-tap outlet box	31593	130136-0033
NEMA 5-20	Multi-Tap Strip (3) Outlet Box with Buss Bars	31565	130136-0025

PUSHBUTTON/TEST INSTRUMENTS

Description	Woodhead No.	Order No.
Plastic two-button pendant	4052	130126-0231
Two-button station	4022	130126-0199

GFCI

Configuration	Current	Manual/ Automatic	Description	Woodhead No.	Order No.
NEMA 5-20	20.0A	Manual	Super-Safeway GFCI with flying leads, 2' cord	20051-0M	130153-0110
			Super-Safeway GFCI, 2' cord, Watertite® plug and connector	20052-1M	130153-0126
			Safeway GFCI, Manual in-line, plug and connector	20051-1	130153-0111
			Safeway GFCI, In-line field attachable	20054	130153-0144
NEMA 5-15	15.0A		Safeway GFCI, In-line, molded plug and connector	15050-1	130153-0019
			Safeway GFCI, field attachable right angle plug only	15054	130153-0089
			Safeway GFCI, Molded plug and tri-tap connector	15050-3TT	130153-0028
			In-line Safeway™ right angle plug, connector, 2' cord	15054-1	130153-0090
			Safeway In-Line Manual Reset Molded plug and tri-cord	15050-50TT	130153-0033
			Super-Safeway In-Line Industrial Manual Reset Molded	15050-1M	130153-0021

CABLE GRIPS

Grip Type	Orientation	Cable Diameter Range	Connection Type	Woodhead No.	Order No.
Deluxe cord	Straight	.375-.500"	1/2" NPT Male	36254	130097-0163
		.500-.625"		36256	130097-0165
		.500-.625"	3/4" NPT Male	36261	130097-0168
		.625-.750"		36263	130097-0170
		.875-1.000"	1" NPT Male	36269	130097-0173
Wide-range	Straight, insulated bushing	.300-.430"	1/2" NPT Male	36503	130097-0258
		.400-.540"		36505	130097-0260
		.520-.730"	3/4" NPT Male	36508	130097-0262
		.700-.970"	1" NPT Male	36512	130097-0265
		.940-1.250"	1-1/4" NPT Male	36515	130097-0269
MAX-LOC®	Straight	.125-.187" (F2 1/2")	1/2" NPT Male	5520	130098-0041
		F2 1/2" (.187-.250)		5522	130098-0046
		F2 1/2" (.250-.312)		5524	130098-0052
		F2 1/2" (.312-.375)		5526	130098-0061
		F2 1/2" (.312-.375)	1/2" NPT Male with O-ring	5526W	130098-0064
		F2 1/2" (.375-.437)	1/2" NPT Male	5528	130098-0069
		F2 1/2" (.375-.437)	1/2" NPT Male with O-ring	5528W	130098-0071
		F2 1/2" (.375-.437)	Black Valox 1/2" NPT Male with O-ring	5528WBLK	130098-0072
		F2 1/2" (.437-.500)	1/2" NPT Male	5530	130098-0076
		F2 1/2" (.437-.500)	1/2" NPT Male with O-ring	5530W	130098-0078
	Right angle	F2 1/2" 90 body (.437-.500)	1/2" NPT Male	5531	130098-0080
	Straight	F2 1/2" (.500-.562)		5532	130098-0082
		F2 1/2" (.562-.625)		5534	130097-0327
	Right angle	F2 1/2" 90 body (.562-.625)		5535	130098-0093
	Straight	F3 3/4" (.437-.562)	3/4" NPT Male	5536	130098-0096
		F3 3/4" (.500-.625)		5538	130098-0103
		F3 3/4" (.562-.687)		5540	130098-0112
		F3 3/4" (.625-.750)		5542	130098-0118
		F4 1" (.687-.812)	1" NPT Male	5554	1300980150
		F4 1" (.750-.875)		5556	1300980155
	Straight, oval UF cable	F2 1/2" (.218X .421)	1/2" NPT Male	5580	1300980185
Bus-drop	Single Eye, Closed Mesh	(.400-.560)	N/A	36564	130094-0493
	Single Eye, Closed Mesh	(.530-.730)		36567	130094-0495
	Single Eye, Closed Mesh	(.700-.850)		36569	130094-0497
	Single Eye, Closed Mesh	(.960-1.250)		36574	130094-0502
Bus-drop accessory	Bus-Drip Grip Safety Spring, Zinc-plated 40lb Load	N/A		36237	130099-0051
Liquid-tight	Straight	1/2 Male	Male	36370	130096-0034
		3/4 Male		36371	130096-0036
Standard Duty	Straight, Single Eye, Closed Mesh, Single Weave	.750-.990"	N/A	35032	130094-0234
		1.250-1.490"		35034	1300940238
		1.750-1.990"		35036	1300940242

PORTABLE LIGHTING

Type	Description	Light Source	Watts	Voltage	Cord Length (feet)	Guard	Woodhead No.	Order No.
Hand lamp	1203 Q-Open with Ground Clip	Incandescent	100W	120V	0.0	Yes	1203QOGC	130103-0038
	With cordset, outlet and switch		100W		25.0		402	130109-0007
			100W		50.0		405	130109-0009
			With cord, switch		100W		20.0	WT3C-20
	With cord, switch, outlet		150W		25.0		WT6C-25	130109-0026
	With cord, switch, ballast	15W	1003-3	130108-0078				
		13W	1086-3	130108-0128				
		1083-3	130108-0106					
	Wet Location Fluorescent Hand Lamp with Switch	Fluorescent	40W	120VAC 60 Hz	25.0		1940SA	130108-0183
	Rubber Hand Lamp with Receptacle	Incandescent	100W	240V			1175U	130102-0210
	Rubber Hand Lamp with Screw Release Reflector Guard with Switch and Side Outlet						106USA163	1301020117
	Industrial Duty Fluorescent Hand Lamp 27W	Fluorescent	27W	120VAC 60 Hz			1093-3	130108-0139
	Industrial Duty Fluorescent Hand Lamp 40W		40W				1097-3	130108-0144
Haz-duty handlamp	26W fluorescent haz duty handlamp	Fluorescent	26W	120V	0.0	Yes	1090-HZ	130104-0021
	26W fluorescent haz duty handlamp with inline 12V transformer		26W	12V	50.0		1090-HZ12IB163	130104-0026
	Haz duty handlamp, no cord	Incandescent	100W	120V	0.0		61430	130104-0041
	Haz-duty handlamp with 50 ft cord				50.0		61430B163	130104-0045
	Haz duty handlamp with in-Line XFMR		75W	12V			1635-12B	130105-0046
Stringlight	100', 14/2 SJTW	Incandescent	200W	120V	100.0	Yes	5000	130111-0027
	Pro® Yellow Molded Stringlight, 14/2 SJTW		150W				5030	130111-0044
	Flat 2-Wire, 12 Ga, 100' Stringlight with plastic guards						302SRL	130111-0024
	Flat 2-Wire, 12 Ga, 100' Stringlight Canada with plastic						302SRLCA	130111-0026
	Temporary light, 14/2 cord						202SRL	130111-0023
	12/3 Stringlight, Metal Guard		200W				323126	130106-0107
	12/3 Stringlight, without Guard	No		323123		130106-0104		
	12/3 Stringlight, Metal Guard, 5 sockets	50.0		Yes	323526	130106-0115		
Wide area light	Pulse Start	Metal halide	400W	120V	3.0	Yes	8575-MH-PS	130110-0052
	Probe Start		70W		10.0		8565-MH	130110-0035
	Twin tube, feed-through, 60 Hz	Fluorescent	64W		25.0		1351	130108-0164
Workstation	Four outlet low-volt XFMR workstation	N/A	200W	120V	6.0	N/A	1642-12	130105-0050
Guard	Clear Poly Guard	N/A	N/A	N/A	N/A	Yes	381R	130112-0171
	Polycarbonate Guard Only						STR101	130112-0246

PORTABLE LIGHTING

Type	Description	Light Source	Watts	Voltage	Cord Length (feet)	Guard	Woodhead No.	Order No.
General Duty Handlamp	Hand Lamp with Grips Molded and Switch	Fluorescent	13W	120VAC 60 Hz	20.0	Yes	WT3F-20	130109-0020
Wide area light	500W Halogen Floodlight	Quartz Halogen	500W	120VAC 60 Hz	25.0	Yes	8506	130135-0323
Machine Light	Halogen Machine Light with Magnet Base	Quartz Halogen	20W	120VAC	10.0	Yes	8540M	130110-0026
	Machine Light with Magnet Mount	Fluorescent	13W	120VAC 60 Hz	15.0		1083-3MM	130108-0120
Handle	Plain Rubber Handle and Socket	Incandescent	100W	240V	N/A	N/A	1173	130102-0204
Guard	Clear Poly Guard with bottom cover, 1.5" neck	N/A	N/A	N/A	N/A	Yes	382	130112-0172
Accessory	Watertite Socket with 4-1/2" leads	N/A	300W	600V	N/A	N/A	600	130152-0016
	Watertite Socket with 3-1/4" cover						601	130152-0020
	Watertite Lampholder 4-1/2" leads						603	130144-0094
	Turtle-Nek Socket with Mounting Flange for 3.5" or 4" boxes						606	130152-0021
	Socket Assembly for Super Safeway incandescent hand lamp	N/A	N/A	240V			1133	130112-0071
	Magnetic holder base with swivel	N/A	N/A	N/A			150	130112-0124
	1083-3 with switch (head only)	Fluorescent	13W	120VAC 60 Hz			1083-3HON	130112-0068

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А