









CONFIGURATIONS







"A" POLARIZATION

"D" POLARIZATION




"B" POLARIZATION

"E" POLARIZATION








"C" POLARIZATION

"F" POLARIZATION





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
QUALITY SYMBOLS		2016/11/23		2016/12/21		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		mo lex ® GM2W UNSEAL SPEAKER ASSEMBLY SALES DRAWING							
A = 0						MM		5:1											
F = 0						DRWN BY		DATE											
E = 0						XBTANG		2016/08/22											
= 0						4 PLACES ±		CHK'D BY		DATE		CUSTOMER DRAWING							
= 0						3 PLACES ±		XBTANG		2016/09/20									
= 0						2 PLACES ± 0.1		APPR BY		DATE									
= 0						1 PLACE ± 0.3		JDENG02		2016/09/26									
X = 0						0 PLACES ±		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
= 0						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A1				148032		SEE BOM		GENERAL MARKET			
= 0		A1		REV		APPR: JDENG02						DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
= 0												1480324100		CD		000		2 OF 4	

OPTIONAL LASER MARKING SURFACE
SEE NOTE g.



[illegible]

TPA	NATURAL	PBT GF30	OK TO TOOL
CPA	RED	PBT GF30	OK TO TOOL
HOUSING POLARIZATION F	BLACK	PBT GF15	DESIGN CONCEPT
HOUSING POLARIZATION E	BLACK	PBT GF15	OK TO TOOL
HOUSING POLARIZATION D	NATURAL	PBT GF15	DESIGN CONCEPT
HOUSING POLARIZATION C	BLACK	PBT GF15	OK TO TOOL
HOUSING POLARIZATION B	LIGHT GRAY	PBT GF15	OK TO TOOL
HOUSING POLARIZATION A	BLACK	PBT GF15	DESIGN CONCEPT
DESCRIPTION	COLOR	MATERIAL	STATUS
BOM AND APPLICABLE COMPONENT TABLE			


QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
 = 0	EC NO: 110742 DRWN: XBTANG CHKD: JDENG02 APPR: JDENG02	2016/11/23 2016/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS MM		SCALE 5:1					
 = 0			ANGULAR TOL ± 3.0 °		DRWN BY XBTANG		DATE 2016/08/22					
 = 0			4 PLACES ±		CHK'D BY		DATE					
 = 0			3 PLACES ±		XBTANG		2016/09/20					
 = 0			2 PLACES ± 0.1		APPR BY		DATE					
 = 0			1 PLACE ± 0.3		JDENG02		2016/09/26					
 = 0			0 PLACES ±		DRAWING SIZE		THIRD ANGLE PROJECTION					
 = 0			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A1							
A1			REV	CUSTOMER DRAWING SERIES: 148032 MATERIAL NUMBER: SEE BOM CUSTOMER: GENERAL MARKET DOCUMENT NUMBER: 1480324100 DOC TYPE: CD DOC PART: 000 SHEET NUMBER: 3 OF 4								





SECTION J-J
SEE KEYING OPTION VIEWS FOR POSITIONS




DETAIL H
SCALE 10:1
TYPICAL
SEE KEYING OPTION VIEWS FOR POSITIONS



DETAIL G
SCALE 10:1



- NOTES: UNLESS OTHERWISE SPECIFIED
1. ALL DIMENSIONS SHOWN IN MILLIMETERS.
 2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994
 3. 0.25 RADII ON ALL CORNERS SHOWN SHARP.
 4. UNSPECIFIED RADII: 0.25 EXCEPT AS NOTED.
 5. STANDARD COLORS FOR POLARIZATION (SEE CHART). DEVIATION REQUIRES APPROVAL OF AUTHORIZED PERSON.
 6. REFER TO SAE/USCAR 12 CONNECTOR GUIDELINES FOR ADDITIONAL REQUIREMENTS.
 7. EXCEPT WHERE NOTED, DRAFT ON OUTSIDE SURFACES IS PERMISSIBLE WITHIN TOLERANCE.
 8. DRAFT SYMBOL INDICATES DRAFT DIRECTION.
 9. FOR TERMINAL MATERIAL, DIMENSIONAL, AND COATING REQUIREMENTS AND ANY BLADE TERMINAL DESIGN INFORMATION NOT SHOWN ON THIS DRAWING SEE EWCAP DWG. NO. EWCAP-001
 10. A FULL SHROUD ON THE MATING CONNECTOR IS REQUIRED TO ENSURE THAT THE CONNECTOR-HEADER POLARIZATION FEATURES (OPTIONS A THRU H) WILL FUNCTION. THE FULL SHROUD ALSO PREVENTS SCOOP DAMAGE TO THE HEADER PINS. REFER TO SAE/USCAR-12 CONNECTOR DESIGN GUIDE LINES FOR ADDITIONAL INFORMATION.
 11. REFER TO USCAR/EWCAP PART LIST AS FOUND ON WEBSITE <http://www.uscarteams.org>
 12. THIS IS A 100% CAD GENERATED PART. THE CAT MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL.



IF A HEADER IS RECESSED INTO A POCKET, THESE DIMENSIONS REPRESENT THE MINIMUM CLEARANCE REQUIRED FOR THE MATING CONNECTOR SHROUD.

KEY OPTION	DIMENSIONS		
	DIM A	DIM B	DIM C
A	9.90	9.20	9.20
B	11.80	9.20	9.20
C	9.90	9.20	11.00
D	11.80	9.20	9.20
E	11.80	11.00	11.00
F	9.90	11.00	9.20

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
QUALITY SYMBOLS E = 0 E = 0 E = 0 = 0 C = 0 = 0 = 0 = 0	EC NO: 110742 DRWN: XBTANG CHKD: JDENG02 REV: APPR: JDENG02	2016/11/23 2016/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex GM2W UNSEAL SPEAKER ASSEMBLY SALES DRAWING		
			ANGULAR TOL ± 3.0 °		MM		5:1				
			4 PLACES ±		XBTANG		2016/08/22				
			3 PLACES ±		XBTANG		2016/09/20				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	A1	REV: APPR: JDENG02	2 PLACES ± 0.1		XBTANG		2016/09/20		CUSTOMER DRAWING		
			1 PLACE ± 0.3		JDENG02		2016/09/26				
			0 PLACES ±		DRAWING SIZE		THIRD ANGLE PROJECTION				
					A1						
RELEASE STATUS		P1		RELEASE DATE		26.09.2016 05:49:11					
18		17		16		15		14			

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А