

4		3		2		1							
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC		DIST		REVISIONS					
© COPYRIGHT — By —		ALL RIGHTS RESERVED.		—		—		P	LTR	DESCRIPTION	DATE	DWN	APVD
									A1	REVISED PER ECO-11-005150	21MAR11	RK	HMR

NOTES: UNLESS OTHERWISE SPECIFIED;

1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR ELCON APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.

2. MATERIALS:

INSULATORS: THERMOPLASTIC, GLASS REINFORCED, COLOR-BLACK, UL94V-0 FLAMMABILITY RATED.

CONTACTS: PHOSPHOR-BRONZE ALLOY.

3. FINISHES:

CONTACTS: SELECTIVE GOLD PLATE PER MIL-G-45204 TYPE II, GRADE C, CLASS 0.000030" MIN. THK, OVER NICKEL PER QQ-N-290, CLASS 2, .000040" MIN. THICKNESS.

TERMINALS: TIN PLATED, MATTE FINISH, .000100" MINIMUM THICKNESS.

4. SOCKETS ACCEPT 1.6 [0.062] ± 10% THK PC BOARD.

5. EXAMPLE PCB CONFIGURATION.

6. THIS 3 X 2 SEGMENT CONFIGURATION SHOWN IS FOR REFERENCE ONLY. COMBINATION OF MULTIPLE NUMBERS OF 2 AND 3 SEGMENT MODULES COULD BE USED PER USER PREFERENCE. OVERALL COMBINATION SHOULD NOT EXCEED 8" IN LENGTH.

7. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER:

YEAR

WEEK

ELCON PART NO. & REV

DATE CODE (e.g. 0505)

XXX-XXXX-XXXXX []

XXXX

8. PART NUMBER INFORMATION

CONNECTOR	TE CONNECTIVITY PART NUMBER	ELCON PART NUMBER	TERMINATION TYPE	PC TAIL LENGTH DIM "A"	RECOMMENDED MOUNTING BOARD	MATING BOARD
SOCKET	6650384-1	286-0052-12101	SOLDER TAIL (SHORT)	3.56 [.140] 2.54 [.100]	1.6 [0.062] THICK	1.6 [0.062] THICK
SOCKET	6650384-2	286-0052-11301	SOLDER TAIL COMPLIANT	5.08 [.200] 4.06 [.160]	3.2 [0.125] OR THINNER	1.6 [0.062] THICK
SOCKET	6650384-3	287-0032-12301	SOLDER TAIL (STANDARD)	5.08 [.200] 4.06 [.160]	3.2 [0.125] OR THINNER	1.6 [0.062] THICK

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. F. A. 01/05/05		TE TE Connectivity							
DIMENSIONS: mm[INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:						NAME			
		0 PLC ± -		APVD D. CHAU 01/06/05		SOCKET CONNECTOR, CROWN EDGE 6 POSITION POWER, STRAIGHT PN: 286-0052-1**01A					
		1 PLC ± 0.5[0.020]		PRODUCT SPEC							
		2 PLC ± 0.25[0.010]		APPLICATION SPEC							
3 PLC ± -		4 PLC ± -		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
4 PLC ANGLES ± 0.5°		FINISH		WEIGHT		A300779		C-6650384		-	
MATERIAL		-		CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 5		REV A1	

1470-19 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

— , — .

© COPYRIGHT — By —

ALL RIGHTS RESERVED.

LOC

	DIST
--	------

REVISIONS

	F
--	---

LTR

DESCRIPTION

DATE _____





DWN

APVD

SEE SHEET 1

—

—



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	01/05/05
R. F. A.	

CHK	—
-----	---

APVD	01/06/05
D CHAU	

D. CHAU
PRODUCT SPEC

APPLICATION SPEC

WEIGHT	—
--------	---

CUSTOMER DRAWING



TE Connectivity

5	NAME
---	------

SOCKET CONNECTOR, CROWN EDGE
6 POSN POWER, STRAIGHT, SOLDER TAILS
PN: 286-0052-12101A

	SIZE
--	------

CAGE CODE	
-----------	--

E	DRAWING NO
---	------------

	RESTRICTED TO
--	---------------

A3	00779
----	-------

9 | C-6650384

SCALE 2:1

SHEET 2 OF 5

REV	A1
-----	----

1470-19 (3/11)





4

3

2

1

LOC —	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm[INCHES]

MATERIAL
—

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± —
1 PLC ± 0.5[0.020]
2 PLC ± 0.25[0.010]
3 PLC ± —
4 PLC ± —
ANGLES ± 0.5°
FINISH —

DWN
R. F. A.
CHK
—
APVD
D. CHAU
PRODUCT SPEC
—
APPLICATION SPEC
—
WEIGHT
—

01/05/05
—
01/06/05
—
—
—
—

TE Connectivity

NAME
SOCKET CONNECTOR, CROWN EDGE
6 POSN PWR, STRAIGHT, COMPLIANT TAILS
PN: 286-0052-11301A

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-6650384

RESTRICTED TO
—


CUSTOMER DRAWING

SCALE
2:1


SHEET
3 of 5

REV
A1


P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—



6 DOUBLE SIDED P.C.B. CARD



6 RECOMMENDED P.C. BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. F. A.		01/05/05		 TE Connectivity	
DIMENSIONS: mm[INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. CHAU		NAME	
		0 PLC ± —		01/06/05		RECOMMENDED PCB LAYOUT PN: 286-0052-12101A/-12301A PN: 286-0052-11301A	
		1 PLC ± 0.5[0.020]		PRODUCT SPEC			
		2 PLC ± 0.25[0.010]		—			
MATERIAL —		3 PLC ± —		APPLICATION SPEC		SIZE	
		4 PLC ± —		—		CAGE CODE	
		ANGLES ± 0.5°		—		DRAWING NO	
FINISH —		WEIGHT —		A3		00779	
		CUSTOMER DRAWING		SCALE		SHEET	
				2:1		4 OF 5	
						REV A1	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А