


air filters



fan filter assemblies – PMFA 'T' Series

Description

A family of low profile filter assemblies designed for use with both 80mm² and 119mm² PAPST axial fans. In both cases, the filter assemblies mount directly on to the existing fixing locations. The 'T' series is a compact design yet very robust for where space is at a premium.

Construction

The assembly consists of four parts, an outer cover, a filter pad, a mesh screen and a finger guard. The cover, mesh and finger guard are moulded in 'Zytel' nylon resin. The inclusion of a finger guard as part of the assembly will allow the filter medium to be

changed without the equipment having to be switched off. The pad is manufactured from white polyester type KS-22.

Filter Performance


The KS-22 pad will achieve a 60% dust particle retention and is heat resistant to 100°C. A reduction in airflow of around 10-30% can be expected in some applications when fitting the filter assembly.

Features

- Compact, low profile design
- Rugged construction
- Quick change filter pad
- Fits both 80mm² and 119mm² fans
- Utilise existing hole fixing positions
- Filter pad can be changed without switching off fan as the finger guard remains in place.

Dimensions

| Fan size | A | B | C | D |
|--------------------|------|------|------|-------|
| 80mm ² | 86.5 | 86.5 | 11 | 71.5 |
| 119mm ² | 126 | 126 | 13.5 | 104.8 |




Ordering information (filter assemblies)

| Fan series | Size | Part number |
|------------|--------------------|-------------|
| 8000 | 80mm ² | PMFA80T |
| 4000 | 119mm ² | PMFA120T |

Ordering information (spare filter pads)

| Filter assembly | Pack details | Part number |
|-----------------|--------------|-------------|
| PMFA80T | Pack of 5 | FP80T |
| PMFA120T | Pack of 5 | FP120T |

All measurements in mm.



fan filter assemblies – PMFA Series

Description

A family of filters for use with the main sizes of axial fans, i.e. 60mm², 80mm², 92mm², 119mm² and 150/172mm diameter. All filter assemblies mount directly on to the existing fixing locations. The 60mm² assembly is compact and low profile by design, with a similar version also available in the 80mm² model.

Construction

The assembly consists of three parts; an outer grill cover, an inner fixing plate and a filter pad. The grill cover is moulded in polycarbonate with a matt finish. It incorporates quick release fasteners to assist easy changing of the filter pad. The inner fixing plate is constructed of steel sheet, with a matt black epoxy powder finish. A welded wire screen provides

protection when the filter pad is changed with the fan still running.


The filter pad is made of white synthetic bonded fibre to specification P15/I50R.

Filter Performance

The filter pad will achieve a 75% dust particle retention down to 5-10 microns in size and can withstand temperatures of up to 100°C. The pad is also flame resistant to BS2963. A reduction in airflow of around 20-30% can be expected with a clean filter assembly fitted.

Features

- Tough, durable construction
- Quick change filter pad
- Fit fans from 60mm² to Ø172mm
- Utilise existing hole fixing positions on most PAPST fans
- Filter pad can be changed without switching off fan.



Ordering Information (filter assemblies)

| Part No. | Fan size | A | B | C | D |
|----------|--------------------|-----|-----|------|-------|
| PMFA60L | 60mm ² | 65 | 65 | 13.5 | 50 |
| PMFA80L | 80mm ² | 85 | 85 | 14 | 71.5 |
| PMFA80 | 80mm ² | 125 | 105 | 17.5 | 71.5 |
| PMFA90 | 92mm ² | 125 | 105 | 17.5 | 82.5 |
| PMFA120 | 119mm ² | 162 | 136 | 18.5 | 104.8 |
| PMFA160 | 150/172Ø | 226 | 190 | 19.5 | 162 |

Ordering Information (spare filter pads)

| Pad Part No. | Assembly Part No. | Pack Qty |
|--------------|-------------------|----------|
| FP60L | PMFA60L | 5 |
| FP80L | PMFA80L | 5 |
| FP80 | PMFA80 | 5 |
| FP90 | PMFA90 | 5 |
| FP120 | PMFA120 | 5 |
| FP160 | PMFA160 | 5 |

All measurements in mm.

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А