THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -
© COPYRIGHT copyright_date - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED FOR PRODUCTION	23OCT2017	RK	PO

NOTES:

1. LID NOT ASSEMBLED WITH LOWER PART. ENCLOSED LOOSELY
2. FLAP NOT ASSEMBLED WITH LOWER PART. ENCLOSED LOOSELY
3. PART NUMBER.
4. PRODUCTION DATE (YYMMDD)
5. MANUFACTURING LOCATION CODE.
6. OMEGA CLIP AS LOOSE PIECE IN BOX, PRODUCT SPEC. 108-94176
7. MODEL CODE ACCORDING TE-SPEC. 404-74000-1
8. CONSECUTIVE SERIAL NUMBER
9. TEST EQUIPMENT NUMBER
10. DIODES WELDED ON CONTACT RAIL
11. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS).
12. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.



BOTTOM VIEW OF TYPICAL ASSEMBLY WHEN MOUNTING TAPE IS APPLIED



BOTTOM VIEW OF LID SUBASSEMBLY WHEN THERMAL INTERFACE MATERIAL IS APPLIED



ITEM NO.	DESCRIPTION	MATERIAL	FINISH
11	INTERFACE CONTACT-SOCKET	COPPER ALLOY	TIN OVER NICKEL
10	INTERFACE CONTACT-PIN	COPPER ALLOY	TIN OVER NICKEL
9	THERMAL INTERFACE MATERIAL	-	-
8	BYPASS DIODE: TYPE SL2020A	-	-
7	MEMBRANE RETAINER	PPE+PS	GRAY
6	MEMBRANE VENT	-	-
5 (6)	OMEGA CLIP	STAINLESS STEEL	PLAIN
4	CONTACT RAIL	COPPER ALLOY	TIN
3	BOX,LOWER HOUSING	PPE+PS	BLACK
2	O-RING SEAL	SILICONE	RED
1 (1)	BOX,LID	PPE+PS	BLACK

Model Code (7)	DIM X	PV PANEL FOIL DIRECTION	MONUTING TAPE	THERMAL INTERFACE MATERIAL	PART NO.
PVEDGE2GGA1V_2	36.0	EAST/WEST	YES	YES	7-2306317-5
PVEDGE2DGA1V_2	55.2	EAST/WEST	YES	YES	7-2306317-2
PVEDGE2FGA1V_2	58.7	EAST/WEST	YES	YES	7-2306317-1
PVEDGE2GGA1V_2	36.0	EAST/WEST	NO	YES	6-2306317-5
PVEDGE2DGA1V_2	55.2	EAST/WEST	NO	YES	6-2306317-2
PVEDGE2FGA1V_2	58.7	EAST/WEST	NO	YES	6-2306317-1
PVEDGE2GGA1T_2	36.0	EAST/WEST	YES	NO	5-2306317-5
PVEDGE2DGA1T_2	55.2	EAST/WEST	YES	NO	5-2306317-2
PVEDGE2FGA1T_2	58.7	EAST/WEST	YES	NO	5-2306317-1
PVEDGE2GGA1T_2	36.0	EAST/WEST	NO	NO	4-2306317-5
PVEDGE2DGA1T_2	55.2	EAST/WEST	NO	NO	4-2306317-2
PVEDGE2FGA1T_2	58.7	EAST/WEST	NO	NO	4-2306317-1
PVEDGE2GGA1V_2	36.0	NORTH/SOUTH	YES	YES	3-2306317-5
PVEDGE2DGA1V_2	55.2	NORTH/SOUTH	YES	YES	3-2306317-2
PVEDGE2FGA1V_2	58.7	NORTH/SOUTH	YES	YES	3-2306317-1
PVEDGE2GGA1V_2	36.0	NORTH/SOUTH	NO	YES	2-2306317-5
PVEDGE2DGA1V_2	55.2	NORTH/SOUTH	NO	YES	2-2306317-2
PVEDGE2FGA1V_2	58.7	NORTH/SOUTH	NO	YES	2-2306317-1
PVEDGE2GGA1T_2	36.0	NORTH/SOUTH	YES	NO	1-2306317-5
PVEDGE2DGA1T_2	55.2	NORTH/SOUTH	YES	NO	1-2306317-2
PVEDGE2FGA1T_2	58.7	NORTH/SOUTH	YES	NO	1-2306317-1
PVEDGE2GGA1T_2	36.0	NORTH/SOUTH	NO	NO	2306317-5
PVEDGE2DGA1T_2	55.2	NORTH/SOUTH	NO	NO	2306317-2
PVEDGE2FGA1T_2	58.7	NORTH/SOUTH	NO	NO	2306317-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±0.50
1 PLC ±0.25
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL (1)
FINISH -

DWN RAVI.S 13AUG2016
CHK GINGRICH CHUCK 13AUG2016
APVD GINGRICH CHUCK 13AUG2016
PRODUCT SPEC 108-32122
APPLICATION SPEC 114-32157
WEIGHT -

TE Connectivity

NAME PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2		C-2306317	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 4 | REV A

1471-9 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -
© COPYRIGHT copyright_date - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

LID NOT SHOWN FOR REFERENCE ONLY



NORTH-SOUTH VERSIONS
2306317-1
1-2306317-1
2-2306317-1
3-2306317-1
SHOWN



LID NOT SHOWN FOR REFERENCE ONLY



EAST-WEST VERSIONS
4-2306317-1
5-2306317-1
6-2306317-1
7-2306317-1
SAME AS N-S VERSIONS
EXCEPT AS SHOWN

LID NOT SHOWN FOR REFERENCE ONLY



NORTH-SOUTH VERSIONS
2306317-2
1-2306317-2
2-2306317-2
3-2306317-2
SHOWN



LID NOT SHOWN FOR REFERENCE ONLY



EAST-WEST VERSIONS
4-2306317-2
5-2306317-2
6-2306317-2
7-2306317-2
SAME AS N-S VERSIONS
EXCEPT AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±0.50
1 PLC ±0.25
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL

FINISH -

DWN RAVI.S 13AUG2016
CHK GINGRICH CHUCK 13AUG2016
APVD GINGRICH CHUCK 13AUG2016
PRODUCT SPEC 108-32122
APPLICATION SPEC 114-32157
WEIGHT -

TE Connectivity

NAME PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2		C-2306317	-

CUSTOMER DRAWING | SCALE 5:1 | SHEET 2 OF 4 | REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -
© COPYRIGHT copyright_dBYe- ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

LID NOT SHOWN FOR REFERENCE ONLY







NORTH-SOUTH VERSIONS
2306317-5
1-2306317-5
2-2306317-5
3-2306317-5
SHOWN

LID NOT SHOWN FOR REFERENCE ONLY



EAST-WEST VERSIONS
4-2306317-5
5-2306317-5
6-2306317-5
7-2306317-5
SAME AS N-S VERSIONS
EXCEPT AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±0.50
1 PLC ±0.25
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL

FINISH -

DWN RAVI.S 13AUG2016
CHK GINGRICH CHUCK 13AUG2016
APVD GINGRICH CHUCK 13AUG2016
PRODUCT SPEC 108-32122
APPLICATION SPEC 114-32157
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2		C-2306317	-

SCALE 5:1 SHEET 3 OF 4 REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -
© COPYRIGHT copyright_date - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-







RECOMMENDED NON EDGE MOUNT
SINGLE HOLE ORIENTATION



DETAIL A
SCALE 2:1



RECOMMENDED NON EDGE MOUNT
(NORTH-SOUTH PV PANEL FOIL ORIENTATION)





RECOMMENDED NON EDGE MOUNT
(EAST-WEST PV PANEL FOIL ORIENTATION)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±0.50
1 PLC ±0.25
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL

FINISH -

DWN RAVI.S 13AUG2016
CHK GINGRICH CHUCK 13AUG2016
APVD GINGRICH CHUCK 13AUG2016
PRODUCT SPEC 108-32122
APPLICATION SPEC 114-32157
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2		C-2306317	-

SCALE 5:1 SHEET 4 OF 4 REV A

OCEAN CHIPS
Океан Электроники
Поставка электронных компонентов

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «**JONHON**», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «**FORSTAR**».

AVIC JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).

FORSTAR®

Телефон: 8 (812) 309-75-97 (многоканальный)
Факс: 8 (812) 320-03-32
Электронная почта: ocean@oceanchips.ru
Web: http://oceanchips.ru/
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А