

QUICK START GUIDE FOR DEMONSTRATION CIRCUIT 878

1MHZ SYNCHRONOUS STEP-UP DC/DC CONVERTER

LTC3458LEDE

DESCRIPTION

Demonstration circuit 878 is a 1MHz Synchronous Step-Up DC/DC Converter featuring the LTC®3458LEDE. The demo board demonstrates a DC/DC boost converter, with a 1.7A switch, providing 5V at 300mA to 900mA depending on input voltage. The circuit demonstrates the advantages of output disconnect and inrush current limiting. Small circuit size and low component count make the LTC3458L suitable for use in many space-conscious applications such as handheld instruments, point-of-load

converters, USB VBUS Power and OLED displays. Other integrated features include externally programmable burst mode threshold, peak current limit, soft-start, antiringing control and thermal shutdown.

Design files for this circuit board are available. Call the LTC factory.

LT, LTC and LT are registered trademarks of Linear Technology Corporation.

Table 1. Performance Summary ($T_A = 25^\circ\text{C}$)

PARAMETERS	CONDITION	VALUE
Minimum Input Voltage		2.0V
Maximum Input Voltage		5V
Output Voltage V_{OUT}	$V_{\text{IN}} = 2\text{V}$, $I_{\text{OUT}} = 300\text{mA}$	$5\text{V} \pm 3\%$
Output Voltage V_{OUT}	$V_{\text{IN}} = 2.7\text{V}$, $I_{\text{OUT}} = 450\text{mA}$	$5\text{V} \pm 3\%$
Output Voltage V_{OUT}	$V_{\text{IN}} = 3.3\text{V}$, $I_{\text{OUT}} = 650\text{mA}$	$5\text{V} \pm 3\%$
Output Voltage V_{OUT}	$V_{\text{IN}} = 4.2\text{V}$, $I_{\text{OUT}} = 900\text{mA}$	$5\text{V} \pm 3\%$
Typical Output Ripple V_{OUT}	$V_{\text{IN}} = 3.3\text{V}$, $I_{\text{OUT}} = 650\text{mA}$	$30\text{mV}_{\text{P-P}}$
Typical efficiency	$V_{\text{IN}} = 4.2\text{V}$, $I_{\text{OUT}} = 900\text{mA}$	86%

C9 used only when operating supply with long inductive input leads.

QUICK START PROCEDURE

Demonstration circuit 878 is easy to set up to evaluate the performance of the LTC3458LEDE. Refer to Figure 1 for proper measurement equipment setup and follow the procedure below:

NOTE: When measuring the input or output voltage ripple, care must be taken to avoid a long ground lead on the oscilloscope probe. Measure the input or output voltage ripple by touching the probe tip directly across the Vin or Vout and GND terminals. See Figure 2 for proper scope probe technique.

1. Place jumpers in the following positions:
JP1 Run, JP2 Auto on.
2. With power off, connect the input power supply to Vin and GND.
3. Turn on the power at the input.
NOTE: Make sure that the input voltage does not exceed 6V.
4. Check for the proper output voltages.

QUICK START GUIDE FOR DEMONSTRATION CIRCUIT 878

1MHZ SYNCHRONOUS STEP-UP DC/DC CONVERTER

NOTE: If there is no output, temporarily disconnect the load to make sure that the load is not set too high.

NOTE: Once the proper output voltages are established, adjust the loads within the operating range

and observe the output voltage regulation, ripple voltage, efficiency and other parameters.




Figure 1. Proper Measurement Equipment Setup





Figure 2. Measuring Input or Output Ripple

QUICK START GUIDE FOR DEMONSTRATION CIRCUIT 878

1MHZ SYNCHRONOUS STEP-UP DC/DC CONVERTER

NOTES: UNLESS OTHERWISE SPECIFIED



** C9 Used Only When Operating Supply With Long Inductive Input Leads.

*

Vin	Iout at 5V
2V	300mA
2.7V	450mA
3.3V	650mA
4.2V	900mA

LTC CONFIDENTIAL - FOR CUSTOMER USE ONLY

Customer Notice

Linear Technology Has Made A Best Effort To Design A Circuit That Meets Customer-Supplied Specifications; However, It Remains The Customer's Responsibility To Verify Proper And Reliable Operation In The Actual Application. Component Substitution And Printed Circuit Board Layout May Significantly Affect Circuit Performance Or Reliability. Contact Linear Technology Applications Engineering For Assistance. This Circuit Is Proprietary To Linear Technology And Supplied For Use With Linear Technology Parts.

LINEAR TECHNOLOGY CORPORATION

1630 McCarthy Blvd.
Milpitas, CA 95035
408-432-1900
408-434-0507 FAX

Title 1 MHz Synchronous Step-Up DC/DC Converter

Size	Document Number	Date:	Rev
D	Demo Circuit 878A	Wednesday, April 06, 2005	Sheet 1 of 1



OCEAN CHIPS

Океан Электроники

Поставка электронных компонентов

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибутором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибутором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А