



LOC		DIST		REVISONS				
GP	00	P	LTR	DESCRIPTION		DATE	DWN	APVD
		B		REVISED PER ECR-18-013640		28AUG2018	JT	SH





2227303-1, -2, -3, -7
1-2227303-2




- MATERIAL: 0.25mm THICK STAINLESS STEEL.
- FINISH: 0.00125mm Min. NICKEL OVER ALL , 0.002mm Min.TIN DIPPED ON SOLDER TABS, NON PLATED EDGES PERMISSIBLE.
- MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- PADS AND VIAS CHASSIS GROUND.
- DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.50 mm
- REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- REFERENCE APPLICATION SPEC. 114-13120, HOLE C, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- ESD PROTECTION PACKAGE.
- PRELIMINARY PART- NOT RELEASED FOR PRODUCTION
- WITHOUT EMI SPRING
- WITH CUSTOMIZED HEATSINK OPEN



1-2227303-1




2-2227303-2





TRAY	1.25	2-2227303-2
TRAY	3.55	1-2227303-1
TRAY	3.55	2227303-7
REEL	1.80	1-2227303-2
TRAY	1.80	2227303-3
REEL	1.80	2227303-2
TRAY	3.55	2227303-1
PACKAGING	A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009				DWN C. VALENTINE 19OCT2012	TE Connectivity			
DIMENSIONS: mm				CHK M. SCHMITT 19OCT2012	NAME			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD M. SCHMITT 19OCT2012	PRODUCT SPEC 108-1950 APPLICATION SPEC 114-13120 WEIGHT Customer Drawing			
0 PLC ±0.1								
1 PLC ±0.1								
2 PLC ±0.1								
3 PLC ±0.1								
4 PLC ±								
ANGLES								
FINISH								
MATERIAL								
-				SIZE				
-				CAGE CODE				
-				DRAWING NO				
-				RESTRICTED TO				
-				A100779C-2227303				
-				SCALE 3:1				
-				SHEET 1 OF 3				
-				REV B				




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN C. VALENTINE CHK M. SCHMITT APVD M. SCHMITT	19OCT2012 19OCT2012 19OCT2012	NAME SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	108-1950	SIZE A1	CAGE CODE 00779
MATERIAL	FINISH	APPLICATION SPEC	114-13120	DRAWING NO C=2227303	RESTRICTED TO -
Customer Drawing		WEIGHT	-	SCALE 3:1	SHEET 2 OF 3
		REVISIONS	-	REV B	

LOC		DIST		REVISIONS				
GP		00		P	LTR	DESCRIPTION		DATE
				-	-	SEE SHEET 1		-





SECTION L-L





SECTION K-K
SCALE 2:1

2227303-2 / 1-222303-2 REEL PACKAGING



2227303-7
UNMARKED DIMENSIONS SAME AS 2227303-1
SCALE 5:1

(A)
APPLIED ALL PINS



2-2227303-2 AS SHOWN
UNMARKED DIMENSIONS SAME AS 2227303-1
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER: ASME Y14.5M-2009		DWN C. VALENTINE CHK M. SCHMITT APVD M. SCHMITT	19OCT2012 19OCT2012 19OCT2012	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±°		PRODUCT SPEC 108-1950 APPLICATION SPEC 114-13120		SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN	
MATERIAL		FINISH		SIZE CAGE CODE DRAWING NO	
-		-		A100779C=2227303	
Customer Drawing		WEIGHT		RESTRICTED TO	
				SCALE 3:1 SHEET 3 OF 3 REV B	

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «JONHON», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «FORSTAR».



JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели,
кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).



Телефон: 8 (812) 309-75-97 (многоканальный)

Факс: 8 (812) 320-03-32

Электронная почта: ocean@oceanchips.ru

Web: <http://oceanchips.ru/>

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А